

VESTEL




Free Standing Cookers
2015 - 2016





Company Profile

2



Global Operations

3



60x60 Free Standing Cookers

10-59



Double Ovens

60-83



90x60 Free Standing Cookers

84-109



Specifications

110-124



Addresses

125

Company Profile



Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

As one of the leading enterprises in Turkey, Vestel is a major player in consumer electronics, mobile technologies, household appliances, professional displays and LED lighting with renowned products, including refrigerators, washing machines, cooking appliances, dishwashers, air conditioners, water heaters, television sets, educational, hospitality and digital signage solutions, digital set-top boxes, tablet PCs, and smart phones.


The company is recognised for its cutting-edge designs, high product quality, large production capacity, and superior market share growth.



Vestel is one of the ten biggest household appliance manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 3.2 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 2.5 million units a year, with models ranging from 4 kg to 9 kg drum capacities. The group added washer dryers to the product range in 2012. The plant for cooking appliances operates with an annual capacity of 2,150,000 units, producing free-standing cookers, built-in hobs and ovens.



The household appliances product range includes free standing, semi and fully integrated dishwashers. The plant has the capacity to produce 1 million units a year.

In addition, the air conditioner factory is capable of producing 750,000 units of split-type models.


Vestel is the first company in Turkey operating two manufacturing plants in Russia for the production refrigerators, washing machines, and televisions with the aim of becoming a leader in CIS countries.



Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 73% percent of its production under leading Japanese and European brands to 151 countries.

Vestel Trade has achieved export sales of 8.3 million units of electronics and 4.8 million units of household appliances.

Distributing its products to seven continents, Vestel takes its place as a world-class company.



Manufacturing & Assembly Plants

LED TV, HD, IP/OTT, PVR Set-top Boxes
– Manisa, Turkey

Professional Displays, Tablet PC, Smart
Phone, LED lighting – Manisa Turkey

TV – Alexandrov, Russia

Refrigerator, Washing Machine,
Dishwasher, Cooking Appliances,

Air Conditioner, Water Heater Manisa,
Turkey

Refrigerator, Washing Machine –
Alexandrov, Russia

Marketing & Sales Companies

Vestel Trade Co, Turkey

Vestel France, France

Vestel Germany GmbH, Germany

Vestel UK, The UK

Vestel Iberia, Spain

Gruppo Industriale Vestit, Italy

Vestel Benelux, The Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Scandinavia, Finland

Vestfrost Household, Denmark

Vestel Central Asia, Kazakhstan

United Technical Services, Slovakia

Vestel Poland, Poland

R&D Centers

Manisa, Turkey

Istanbul, Turkey

Bristol, UK

Shanghai, China

Product Range

Freestanding Cookers								
Size [cm]	90x60		60x60		50x60		50x50	
Oven	Gas	Electric	Gas (60lt)	Electric (60/65lt)	Gas	Electric	Gas	Electric
Hob	Gas Mixed	Gas Mixed Radiant Induction*	Gas Mixed Gas on Glass	Gas Mixed Gas on Glass Hotplate Radiant Induction	Gas Mixed	*Gas Mixed Hotplate Radiant*	*Gas Mixed*	*Gas Mixed Hotplate Radiant*
Bottle Compartment	Yes / No	Yes / No	No	No	No	No	No	No
Self Clean (Pyro)	No	No	No	Yes / No	No	No	No	No

Freestanding Double Oven Cookers					
Size [cm]	60x60			50x60	
Oven	Gas		Electric		Gas
Hob	*Gas Mixed*		*Gas Mixed Hotplate Radiant*		*Gas Mixed*




FREE-STANDING COOKERS		Gas Cooker	Electric Cooker with Solid Hot-plates	Electric Cooker with Ceran Glass	Electric Cooker with Induction Hob	Combi (Dual Fuel) Cooker
Colours	White	Standard	Standard	Standard	Standard	Standard
	Brown / Black / Silver / Red / Dark Green / TDF	Optional	Optional	Optional	Optional	Optional
	Stainless Steel / Inox painted	Optional	Optional	Optional	Optional	Optional
Control Panel	Anthracite*, Cream*	Optional	Optional	Optional	Optional	Optional
	Flat Metal Control Panel	Standard	Standard	Standard	Standard	Standard
	3D Metal Control Panel	Optional	Optional	Optional	Optional	Optional
	Glass Control Panel	Optional	Optional	Optional	Optional	Optional
	Full Flat Metal Control Panel**	Optional	Optional	Optional	Optional	Optional
Oven Doors	Edge Aesthetic Metal Control Panel**	Optional	Optional	Optional	Optional	Optional
	Flat - Full Outer Glass and Inner Metal Door	Standard	Standard	Standard	Standard	Standard
	Flat - Full Outer Glass and Inner Metal Door (mirror glass)	Optional	Optional	Optional	Optional	Optional
	Flat - Full Outer and Inner Glass Door	Optional	Optional	Optional	Optional	Optional
	Flat - Full Outer and Inner Glass Door (mirror glass)	Optional	Optional	Optional	Optional	Optional
	Flat - Triple Glass Door	Optional	Optional	Optional	Optional	Optional
Handles	Flat - Flat Metal Oven Door with Small Glass	Optional	Optional	Optional	-	Optional
	3D - 3D Metal Oven Door with Small Glass**	Optional	Optional	Optional	Optional	Optional
	Inox / Inox Painted	Optional	Optional	Optional	Optional	Optional
	Knobs	Inox Painted Knobs	Optional	Optional	Optional	Optional
Stainless Steel Covered Plastic Knobs		Optional	Optional	Optional	Optional	Optional
Push-Pull Knobs**		Optional	Optional	Optional	Optional	Optional
Printed Knobs		Optional	Optional	Optional	Optional	Optional
Oven Functions	Top Heating Element	-	Standard	Standard	Standard	Standard
	Bottom Heating Element	-	Standard	Standard	Standard	Standard
	Electric Grill	Optional	Optional	Optional	Optional	Optional
	Gas Oven Burner	Standard	-	-	-	-
	Gas Grill	Optional	-	-	-	-
	Gas Safety in Oven	Standard	-	-	-	-
	Thermostat	Optional	Standard	Standard	Standard	Standard
	Turnspit	Optional	Optional	Optional	Optional	Optional
	Multifunction	-	Optional	Optional	Optional	Optional
	Electric Double Grill	-	Optional	Optional	Optional	Optional
	Fan	-	Optional	Optional	Optional	Optional
	Fan with Ring Heating Element	-	Optional	Optional	Optional	Optional
	Pyrolize Function**	-	-	Optional	-	-
	Cooling Fan	-	Optional	Optional	Standard	Optional
Automatic Boost Function**	-	-	-	-	-	
Hob Features	Shabat**	-	Optional	Optional	Optional	Optional
	Enamel Pan Supports	Standard	-	-	-	Standard
	Cast Iron Pan Supports	Optional	-	-	-	Optional
	Enamel Burner Caps	Standard	-	-	-	Standard
	Cast Iron Burner Caps	Optional	-	-	-	Optional
	Coffee Adaptor	Optional	-	-	-	Optional
Wok Adaptor	Optional	-	-	-	Optional	




FREE-STANDING COOKERS		Gas Cooker	Electric Cooker with Solid Hot-plates	Electric Cooker with Ceran Glass	Electric Cooker with Induction Hob	Combi (Dual Fuel) Cooker
Hob Features	Vitroceraamic Glass Cleaning Spatula	-	-	Optional	Optional	-
	Battery ignition	Optional	-	-	-	-
	Button Ignition	Optional	-	-	-	Optional
	One-touch-Ignition through knobs	Optional	-	-	-	Optional
	Gas on Glass Hob	Optional	-	-	-	Optional
	Two Gas Two Hot Plate Hob Configuratin**	Optional	-	-	-	Optional
	Ø 80 mm Hotplate**	-	Optional	-	-	-
	Ø 145 mm Hotplate	Optional	Standard	-	-	Optional
	Ø 180 mm Hotplate	Optional	Standard	-	-	Optional
	Ø 220 mm Hotplate**	-	Optional	-	-	-
	Ø 145 mm Rapid Hotplate	Optional	Optional	-	-	Optional
	Ø 180 mm Rapid Hotplate	Optional	Optional	-	-	Optional
	Ø145 mm Highlite Element	-	-	Standard	-	-
	Ø180 mm Highlite Element	-	-	Standard	-	-
	Ø210 mm Highlite Element	-	-	Optional	-	-
	Ø180 mm Dual Highlite Element	-	-	Optional	-	-
	Oval Highlite Element	-	-	Optional	-	-
	Ø210 mm Dual Highlite Element	-	-	Optional	-	-
	Ø160 mm Induction Element	-	-	-	-	-
	Ø200 mm Induction Element	-	-	-	-	-
	Ø160 mm Induction Element (Boost)	-	-	-	Standard	-
	Ø200 mm Induction Element (Boost)	-	-	-	Standard	-
	Ø250 mm Induction Element (Boost)	-	-	-	Optional	-
Hot Surface Indicator Light	-	-	Optional	Standard	-	
Hotplate Operation Indicator Light	-	Standard	-	-	Standard	
Thermostat Operation Indicator Light	-	Standard	Standard	Standard	Standard	
Stainless Steel Burner Pan (in case of gas on glass hob)	Optional	-	-	-	Optional	
Burner Safety Valves	Optional	-	-	-	Optional	
Timers	Mechanical Minute Minder	Optional	Optional	Optional	Optional	Optional
	Mechanical Timer	-	Optional	Optional	Optional	Optional
	Digital Clock	Optional	Optional	Optional	Optional	Optional
	Digital Programmer	-	Optional	Optional	Optional	Optional
	LCD Timer (only with Edge Aesthetic Ovens)	-	Optional	Optional	-	Optional
Accessories	Baking Tray (Shallow Tray)	Optional	Optional	Optional	Optional	Optional
	Glass Tray**	Optional	Optional	Optional	Optional	Optional
	Roasting Tray (Deep Tray)	1	1	1	1	1
	Round Tray**	-	Optional	Optional	Optional	Optional
	8 cm Deer Tray**	-	Optional	Optional	Optional	Optional
	Chromed Grid with Stoper	1	1	1	1	1
	Wire grid for deep tray	Optional	Optional	Optional	Optional	Optional
	Broil Pan with/without Handle Set**	Optional	Optional	Optional	Optional	Optional
	Oven Light (25W)	Optional	Optional	Optional	Optional	Optional
	Easy to Clean Enamel	Standard	Standard	Standard	Standard	Standard
	Catalitic Enamel Panels (Left, right and rear)	Optional	Optional	Optional	Optional	Optional
	Wire Side Racks	Optional	Optional	Optional	Optional	Optional
	Telescopic Rails (1 or 2 racks)	Optional	Optional	Optional	Optional	Optional
	Full Extention Telescopic Rails (1 or 2 racks)	Optional	Optional	Optional	Optional	Optional
Adjustable Feet	Standard	Standard	Standard	Standard	Standard	
Lid	Wheel**	Optional	Optional	Optional	Optional	Optional
	Metal Lid**	Standard	Optional	-	-	Standard
	Splash Back (only on 90x60 FS cookers)	Optional	Optional	Optional	Optional	Optional
Energy Class	Glass Lid (Iced / Screened)	Optional	Optional	-	-	Optional
	B Class	-	Standard	Standard	Standard	Standard
Drawers	A Class	Standard	Optional	Optional	Optional	Optional
	Flap Drawer	Optional	Optional	Optional	Optional	Optional
	4WG Farmer Drawer at the bottom**	Optional	Optional	Optional	Optional	Optional
Packaging	Glass Warmer Drawer (white/black/mirror glass)	Optional	Optional	Optional	-	Optional
	Shrink Packaging**	Standard	Standard	Standard	Standard	Standard
	Carton Box Packaging	Optional	Optional	Optional	Optional	Optional
	SKD/CKD**	Optional	Optional	Optional	Optional	Optional

* Only on painted parts ** Not available on 90x60 FS




Knob Types




			
	ANTERO	BIG MACRO RING	DELTA RING
DOUBLE-OVEN	✓	X	X
NGFS	✓	✓	✓
FS 90 CM	X	X	X

			
	ECLIPSE RING	EPSILON	GAMA RING
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	X	✓

			
	JANNU RING	NORD RING	OMEGA
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	✓	X

			
	PIPO	RIMO	RUSTIC RISUS (with ring)
DOUBLE-OVEN	X	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	X	X

			
	SIGMA (small)	SPECTRUM	TRIO
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	X	X

			
	VESTA	VARIO RING	ZETA RING
DOUBLE-OVEN	X	✓	✓
NGFS	X	✓	✓
FS 90 CM	✓	X	X

Handle Types

HANDLE TYPE - Length (mm)	50x50 Freestanding	50x60 Freestanding	60x60 Freestanding	90x60 Freestanding			50x60 Double Oven	60x60 Double Oven
				Standard	Professional	Bottle Compartment		
 ELLIPSE ARC	✓	✓	✓	x	x	x	✓	✓
 D PROFILE ARC	✓	✓	✓	x	x	x	✓	✓
 ARC QUADRANGLE	✓	✓	✓	x	x	x	✓	✓
 3D QUADRANGLE	✓	✓	✓	x	x	x	✓	✓
 FLAT QUADRANGLE	✓	✓	✓	✓	✓	x	✓	✓
 ARC TUBE	✓	✓	✓	x	x	x	✓	✓
 FLAT SLICE	✓	✓	✓	x	x	x	✓	✓
 TRIO	✓	✓	✓	✓	✓	✓	✓	✓

HANDLE TYPE - Length (mm)	50x50 Freestanding	50x60 Freestanding	60x60 Freestanding	90x60 Freestanding			50x60 Double Oven	60x60 Double Oven
				Standard	Professional	Bottle Compartment		
 METALUX	✓	✓	✓	✓	✓	✓	✓	✓
 RUSTIC	✓	✓	✓	✓	✓	×	✓	✓
 CURVED QUADRANGLE	✓	✓	✓	×	×	×	✓	✓
 BOW	✓	✓	✓	✓	✓	✓	✓	✓
 CYLINDER	✓	✓	✓	✓	✓	✓	✓	✓
 TROY	✓	✓	✓	✓	✓	✓	✓	✓
 VERO	✓	✓	✓	✓	✓	✓	✓	✓



60x60 Free Standing Cookers



- | | |
|--------------------------|-------------------|
| 1. Lid | 9. Knobs |
| 2. Warming Drawer Button | 10. Control Panel |
| 3. Timer | 11. Handle |
| 4. Side Panel | 12. Add-on |
| 5. Oven Door | 13. Drawer |
| 6. Plinth | 14. Kickplate |
| 7. Pan Supports | 15. Feet |
| 8. Cooktop | |



Flat



Full Flat



Combined



3D



Edge



Glass



TYPE 8
Full outer glass and inner
metal door



TYPE 9
Full outer and inner glass
door



TYPE 10
3D metal oven door with
small glass



TYPE 11
Full Glass Oven Door



TYPE 12
Pyro Oven Door



Timer Types



Full Touch Control Programmer



Digital Touch Programmer



Digital Full Programmer



Digital Clock and Minute Minder



Mechanical Timer



Minute Minder



Metal Lid



Glass Lid With Bumpers



Glass Lid With Metal Profile



Add-on Types



Mono Strie 17 mm



Mono Strie 50 mm




Mono Strie 100 mm



I Type 50 mm




U Type 50 mm



Turnspit Set With Metal Bracket



Turnspit Set With Grid



Multi Purpose Rotisserie




Meat Probe



Oil Filter


Cavity Rack Types



Enamel Mold Runners



Enamel Cavity With Mold Runners



Catalytic Enamel Side Panels




Catalytic Enamel Side and Rear Panels



Wire Rack in Enamel Cavity



Wire Racks in Enamel Cavity



Wire Rack in Catalytic Enamel Cavity



Catalytic Enamel Panel With Side Wire Racks



Single Telescopic Shelf



Single Telescopic Shelf With Stabilizer



Double Telescopic Shelves



Double Telescopic Shelves With Stabilizer



Full Telescopic Shelf



Double Full Telescopic Shelves



Telescopic



Full Telescopic

Details



Electric Grill




Fan With The Ring For Multifunction Ovens



Oven Lamp




Side Lighting



Cooling Fan




Gas Grill (Fs Gas Cooker)



Oven Gas Burner



Oven Gas Burner Cover



4Wg Warmer Drawer




Flap Drawer



Warming Drawer Handle



Warming Drawer



Warming Drawer Button



Ignition Button (Fs Gas Cookers)




Turnspit Button (Fs Gas Cooker)




Light Button (Fs Gas Cooker)

Details



Adjustable Feet



Adjustable Feet




Fixed Type Feet



Fixed Type Feet



Wheels At Rear



Wheels At Rear



Child Lock



Child Lock




Ground Type Anti-Tip Bracket



Ground Type Anti-Tip Bracket



Wall Type Anti-Tip Bracket



Wall Type Anti-Tip Bracket



Rear Bottom Cover



Concrete Weight




Plinth




Heat Shield


HOB Details



Slim Design For Vitroceramic Hobs



Point Design For Vitroceramic Hobs




Arc Design For Vitroceramic Hobs




Slim Design (For Induction Hobs)




Dual Zone For Vitroceramic Hobs




210 mm Zone For Vitroceramic Hobs



Hot Surface Indicator Light For Vitroceramic Hobs




Hot Surface Indicators For Vitroceramic Hobs




Touch Control Panel For Induction Cookers



Vitreoceramic Glass Cleaning Spatula




Highlight Heating Element



Radiant Heating Element



Wok Burner



Rapid Solid Hotplate



Flame Failure Device For Gas Burners



Ignition For Gas Burners

Pan Support Types



Enamel Pan Supports



Mat Enamel Pan Supports



Cast Iron Pan Supports



Enamel Burner Pan & Enamel Pan Support For Gas On Glass Hobs



Inox Burner Pan & Mat Enamel Pan Supports For Gas On Glass Hobs



Mat Enamel Burner Pan & Cast Iron Pan Support For Gas On Glass Hobs



Enamel Burner Caps



Enamel Flat Burner Caps



Mat Enamel Burner Caps



Cast Iron Burner Caps



D-Type Pan Support



V-Type Pan Support



S-Type Pan Support



Cast Iron S-Type Pan Support



Cast Iron Wok Adapter



Enamel Wok Adapter



Enamel Wok Adapter (Square)



Coffie Support

Accessories



Shallow Tray



Deep Tray



80 mm Deep Tray



Glass Tray



Chromed Wire Grid For Deep Tray



Grill Pan Handle Set



Round Tray And Grid Set



Chromed Wire Grid

VapClean® Function



With VapClean®, function, dried food stains inside the oven cavity is softened with vapor.

To perform VapClean®, a glass of water is poured into the small tray which will be placed at the bottom of the oven. After that, VapClean® function is activated to create vapor inside oven cavity which will soften dried food stains.



Pyrolysis Function



During the pyrolytic cleaning process, the oven heats up to approximately 480°C at which the temperature is kept for 1 hour while the door is locked for safety purposes.

At this temperature, residues from roasting, grilling and baking are reduced to a thin layer of ash that can simply be wiped away with a damp cloth.



FIPC66.02



Standard Features

- 60x60 pyrolytic cooker
- Induction cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Hot surface indicator
- Electronic thermostat in oven
- Pyrolytic oven door
- Pyrolytic digital full programmer
- Flat aesthetic

Optional Features

- Stainless Steel
- Push-pull knobs
- Inox handle
- 4 wheel guided drawer
- 90cm height
- Mono stripe 100mm laser-cut inox cladding on oven door
- Knob control for induction cooktop

FIC66.06

Standard Features

- 60x60 induction cooker
- Induction cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Hot surface indicator
- Electronic thermostat in oven

Optional Features

- Glass aesthetic
- Full touch control programmer
- Push-pull knobs
- Inox handle
- 4 wheel guided drawer
- Child lock
- Knob control for induction cooktop



FIC66.01



Standard Features

60x60 induction cooker
 Induction touch control
 cooktop (2x200mm,
 2x160mm)
 Boost for induction zones
 Hot surface indicator
 Electric oven
 Thermostat in oven

Optional Features

Stainless steel
 3D aesthetic
 Metal oven door
 Digital full programmer
 4 wheel guided drawer
 Push-pull knobs
 Inox handle

FIC66.05

Standard Features

60x60 induction cooker
 Induction touch control
 cooktop (2x200mm,
 2x160mm)
 Boost for induction zones
 Hot surface indicator
 Electric oven
 Thermostat in oven

Optional Features

Stainless steel
 3D aesthetic
 Metal oven door
 Mechanical timer
 Flap drawer
 Inox painted knobs
 Inox handle



FIC66.04



Standard Features

- 60x60 induction cooker
- Induction touch control cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Hot surface indicator
- Electric oven
- Thermostat in oven
- Flat aesthetic

Optional Features

- Mechanical timer
- Flap drawer
- Full outer glass door with big inner glass

FIC66.02

Standard Features

- 60x60 induction cooker
- Induction cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Hot surface indicator
- Electric oven
- Thermostat in oven
- Flat oven door and storage panel

Optional Features

- Induction knob control cooktop
- Stainless steel
- 3D control panel
- Digital full programmer
- 4 wheel guided drawer
- Push-pull knobs
- Inox handle
- Combined aesthetic
- Full outer glass door with big inner glass



FPC66.01



Standard Features

- 60x60 pyrolytic cooker
- Vitroc ceramic cooktop
- Hot surface indicator light
- Pyrolytic digital full programmer
- Electronic thermostat in oven
- Flat aesthetic
- Pyrolytic oven door

Optional Features

- Stainless steel
- 4 wheel guided drawer
- Inox painted knobs
- Inox handle
- 90 cm height

FPC66.02

Standard Features

- 60x60 pyrolytic cooker
- Vitroc ceramic cooktop
- Hot surface indicator light
- Pyrolytic digital full programmer
- Electronic thermostat in oven
- Flat aesthetic
- Pyrolytic oven door

Optional Features

- Flap drawer
- 90 cm height



FVC66.10



Standard Features

- 60x60 vitreco ceramic cooker
- Vitreco ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Electric oven
- Electronic thermostat in oven

Optional Features

- Stainless steel
- Glass aesthetic
- Black glass control panel, oven door and storage panel
- Digital touch control programmer
- 4 wheel guided drawer
- Push-pull knobs
- Inox handle
- 90cm height
- Full outer glass door with big inner glass

FVC66.01

Standard Features

- 60x60 vitreco ceramic cooker
- Vitreco ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven
- Flat aesthetic

Optional Features

- Stainless steel
- 3D control panel
- Full glass oven door with inox side stripe add-on
- Mechanical timer
- Flap drawer
- Inox painted knobs
- Inox handle
- Combined aesthetic
- Full outer glass door with big inner glass



FVC66.02



Standard Features

60x60 vitroceramic cooker
 Vitroceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven

Optional Features

Cooling fan
 Stainless steel
 3D aesthetic
 Metal oven door
 Digital full programmer
 Flap drawer
 Inox cladded knobs
 Inox handle

FVC66.03

Standard Features

60x60 vitroceramic cooker
 Vitroceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat aesthetic

Optional Features

Stainless steel
 Mirror glass oven door
 Digital full programmer
 Inox cladded knobs
 Inox handle
 Serigraphy on the knob ring
 Full outer glass door with big inner
 glass



FVC66.05



Standard Features

- 60x60 vitreco ceramic cooker
- Vitreco ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven

Optional Features

- 3D aesthetic
- Metal oven door
- 4 wheel guided drawer
- Mechanical timer

FVC66.08

Standard Features

- 60x60 vitreco ceramic cooker
- Vitreco ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven
- Flat aesthetic

Optional Features

- Flap drawer
- Full outer glass with big inner glass



FVC56.01



Standard Features

50x60 vitroceramic cooker
 Vitroceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat aesthetic

Optional Features

Stainless steel
 Mechanical timer
 Flap drawer
 Inox cladded knobs
 Black handle
 Full outer glass door with big
 inner glass

FVC56.02

Standard Features

50x60 vitroceramic cooker
 Vitroceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat oven door and storage
 panel

Optional Features

Stainless steel
 3D control panel
 4 wheel guided drawer
 Inox painted knobs
 Inox handle
 Full glass oven door with inox side
 stripe add-on
 Serigraphy on the knob ring
 Combined aesthetic
 Full outer glass door with big inner
 glass



FVC56.03



Standard Features

- 50x60 vitreco ceramic cooker
- Vitreco ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven
- Flat aesthetic

Optional Features

- Mechanical timer
- Flap drawer
- Full outer glass door with big inner glass

FVC56.04

Standard Features

- 50x60 vitreco ceramic cooker
- Vitreco ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven
- Flat aesthetic

Optional Features

- Black glass oven door with white sides serigraphy
- Flap drawer
- Full outer glass door with big inner glass



FVC55.01



Standard Features

50x50 vitroceramic cooker
 Vitroceramic cooktop (2x145)
 (1x180)
 Hot surface indicator light
 Electric oven
 Thermostat in oven
 Flat aesthetic

Optional Features

Stainless steel
 4 wheel guided drawer
 Inox cladded knobs
 Inox handle
 Mechanical timer
 Full outer glass door with big
 inner glass

FVC55.02

Standard Features

50x50 vitroceramic cooker
 Vitroceramic cooktop (4x145)
 Hot surface indicator light
 Electric oven
 Thermostat in oven

Optional Features

Anthracite painted
 3D aesthetic
 Metal oven door
 Anthracite enamelled cooktop
 Flap drawer
 Black knobs
 Anthracite handle



FVC55.03



Standard Features

- 50x50 vitreco ceramic cooker
- Vitreco ceramic cooktop (2x145) (1x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven
- Flat aesthetic

Optional Features

- White glass oven door
- 4 wheel guided drawer
- Full outer glass door with big inner glass

FVC55.04

Standard Features

- 50x50 vitreco ceramic cooker
- Vitreco ceramic cooktop (2x145) (1x180)
- Hot surface indicator light
- Electric oven
- Thermostat in oven
- Flat aesthetic

Optional Features

- Flap drawer
- Full outer glass door with big inner glass



FEC66.01



Standard Features

60x60 electric cooker
 Electric oven
 Thermostat in oven
 Metal lid

Optional Features

4 solid hotplates (1x80)
 (1x145)(1X180)(1x220)
 80mm coffee hotplate
 220mm hotplate
 3D aesthetic
 Metal oven door
 4 wheel guided drawer
 Inox cladded knobs

FEC66.02

Standard Features

60x60 electric cooker
 Electric oven
 Thermostat in oven
 Flat aesthetic
 Metal lid

Optional Features

4 solid hotplates (1x80)(1x145)
 (1X180)(1x220)
 80mm coffee hotplate
 220mm hotplate
 Mechanical timer
 Flap drawer
 Push-pull knobs
 Full outer glass door with big
 inner glass





FEC66.03

Standard Features

- 60x60 electric cooker
- 4 solid hotplates (2x145)(2x180)
- Electric oven
- Thermostat in oven
- Flat aesthetic
- Metal lid

Optional Features

- Silver painted
- 180 mm rapid hotplate
- Inox cooktop
- Silver painted knobs and handle
- Flap drawer
- Full outer glass door with big inner glass

FEC66.05

Standard Features

- 60x60 electric cooker
- Electric oven
- Thermostat in oven
- Metal lid

Optional Features

- 4 solid hotplates (1x80)(1x145)(1x180)(1x220)
- Stainless steel
- Cooling fan
- 80mm coffee hotplate
- 180mm rapid hotplate
- 220mm hotplate
- 3D aesthetic
- Metal oven door
- 4 wheel guided drawer
- Inox clad knobs
- Inox handle



FEC66.06



Standard Features

60x60 electric cooker
4 solid hotplates (2x145)
(2x180)
Electric oven
Thermostat in oven

Optional Features

Stainless steel
4 wheel guided drawer
Inox cladded knobs
Inox handle
Side stripe type laser-cut
inox cladding on oven door
Mechanical timer
180mm rapid hotplate
Edge aesthetic
Full outer glass door with big
inner glass

FEC66.04

Standard Features

60x60 electric cooker
Electric oven
Thermostat in oven
Flat oven door and storage
panel
Metal lid

Optional Features

4 solid hotplates (1x80)(1x145)
(1X180)(1x220)
80mm coffee hotplate
180mm rapid hotplate
220mm hotplate
4 wheel guided drawer
Inox painted knobs
Inox handle
Side stripe type laser-cut inox
cladding on oven door
Serigraphy on the knob ring
Flap drawer
Combined aesthetic
Full outer glass door with big
inner glass





FEC56.01

Standard Features

50x60 electric cooker
4 solid hotplates (2x145)
(2x180)
Electric oven
Thermostat in oven
Metal lid

Optional Features

3D aesthetic
145mm and 180mm rapid
hotplate
90cm height

FEC56.02

Standard Features

50x60 electric cooker
4 solid hotplates (2x145)
(2x180)
Electric oven
Thermostat in oven
Flat oven door and storage
panel

Optional Features

Stainless steel
Mechanical timer
Flap drawer
Inox painted knobs
Inox handle
U type laser-cut inox cladding on
oven door
Combined aesthetic
Full outer glass door with big inner
glass



FEC55.03



Standard Features

50x50 electric cooker
4 solid hotplates (2x145)
(2x180)
Electric oven
Thermostat in oven
Flat aesthetic

Optional Features

Stainless steel
Inox painted knobs
Inox handle
Flap drawer
Glass lid with bumpers
Full outer glass door with big
inner glass

FEC55.02

Standard Features

50x50 electric cooker
4 solid hotplates (2x145)
(2x180)
Electric oven
Thermostat in oven
Flat aesthetic

Optional Features

Flap drawer
Full outer glass door with big inner
glass



FMC66.18



Standard Features

60x60 dual fuel cooker
4 gas burners
Electric oven
Thermostat in oven

Optional Features

Glass aesthetic
Wok burner
Warming drawer
Inox handle
Inox clad knobs
Cast iron pan supports & burner caps
Automatic ignition
Inox cooktop

FMC66.02

Standard Features

60x60 dual fuel cooker
3 gas burners + Electric
Hotplate
Electric oven
Thermostat in oven
Flat oven door and storage panel
Enamel pan support & burner caps

Optional Features

Stainless steel
Cast iron pan support and burner caps
Digital full programmer
4 wheel guided drawer
Glass lid with inox profile
Inox painted knobs & handle
Automatic ignition
Serigraphy on the knob ring
180mm rapid hotplate
Combined aesthetic
Full outer glass door with big inner glass



FMC66.03

**Standard Features**

60x60 dual fuel cooker
4 gas burners
Electric oven
Thermostat in oven
Flat aesthetic

Optional Features

Stainless steel
Digital full programmer
Cast iron pan support and burner caps
4 wheel guided drawer
Glass lid with inox profile
Inox painted knobs & handle
Automatic ignition
U-type laser-cut inox cladding on oven door
Full outer glass door with big inner glass

FMC66.08

Standard Features

60x60 dual fuel cooker
4 gas burners
Electric oven
Thermostat in oven
Flat oven door and storage panel

Optional Features

Stainless steel
Wok burner
Full Flat aesthetic
Cast iron pan support and burner caps
Digital full programmer
4 wheel guided drawer
Glass lid with inox profile
Inox painted knobs & handle
Automatic ignition
Side stripe type laser-cut inox cladding on oven door
Full outer glass door with big inner glass





FMC66.09

Standard Features

- 60x60 dual fuel cooker
- 3 gas burners + electric hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support & burner caps
- Flat aesthetic
- Metal lid

Optional Features

- Silver enamel
- 3D control panel, oven door and storage panel
- Metal oven door
- Silver enamel cooktop
- Black knobs
- Silver painted handle
- Mechanical Timer
- Automatic ignition
- Flap drawer
- Serigraphy on the knob ring

FMC66.10

Standard Features

- 60x60 dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- Flat oven door and storage panel
- Enamel pan support & burner caps
- Metal lid

Optional Features

- Silver painted
- Black enamel cooktop
- Silver painted knobs and handle
- Automatic ignition
- 4 wheel guided drawer
- Combined aesthetic
- Full outer glass door with big inner glass



FMC66.11



Standard Features

- 60x60 dual fuel cooker
- Electric oven
- Thermostat in oven
- Flat aesthetic
- Enamel pan support
- Enamel burner caps

Optional Features

- 4 gas burners on glass
- Digital full programmer
- Automatic ignition
- 4 wheel guided drawer
- Full outer glass door with big inner glass

FMC66.13

Standard Features

- 60x60 dual fuel cooker
- Electric oven
- Thermostat in oven

Optional Features

- Inox painted
- 4 gas burners on glass
- Digital full programmer
- Automatic ignition
- 4 wheel guided drawer
- 3D aesthetic
- Metal oven door
- Cast iron pan support and burner caps
- Inox cladde knobs
- Inox handle





FMC66.05

Standard Features

- 60x60 dual fuel cooker
- 3 gas burner + Electric Hot-plate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps
- Metal lid

Optional Features

- 3D aesthetic
- Metal oven door
- Mechanical timer
- Automatic ignition
- Flap drawer

FMC66.15

Standard Features

- 60x60 dual fuel cooker
- 2 gas burners + 2 Electric Hotplate
- Electric oven
- Thermostat in oven
- Flat aesthetic
- Enamel pan support
- Enamel burner caps
- Metal lid

Optional Features

- Silver painted
- Stainless steel cooktop
- Button ignition
- Flap drawer
- Silver painted knobs and handle
- Full outer glass door with big inner glass



FMC66.17



Standard Features

60x60 dual fuel cooker
 3 gas burner + Electric Hot-plate
 Electric oven
 Thermostat in oven
 Enamel pan support
 Enamel burner caps

Optional Features

Rustic design
 3D aesthetic
 Black painted
 Glass lid with bumpers
 Flap drawer
 Rustic knobs and handle
 Automatic ignition

FMC66.06

Standard Features

60x60 dual fuel cooker
 4 gas burners
 Electric oven
 Thermostat in oven
 Flat oven door and storage panel
 Enamel pan support
 Enamel burner caps

Optional Features

Glass lid with bumpers
 Combined aesthetic
 Automatic ignition
 Child Lock
 Combined aesthetic
 Full outer glass door with big inner glass





FMC56.01

Standard Features

50x60 dual fuel cooker
2 gas burners + 2 electric
hotplate
Electric oven
Thermostat in oven
Enamel pan support
Enamel burner caps
Flat aesthetic
Metal lid

Optional Features

Stainless steel
Flap drawer
Inox painted knobs
Inox handle
Serigraphy on the knob ring
Full outer glass door with big
inner glass

FMC56.02

Standard Features

50x60 dual fuel cooker
4 gas burners
Electric oven
Thermostat in oven
Enamel pan support
Enamel burner caps

Optional Features

Black painted
3D aesthetic
Black enamelled cooktop
Mechanical Timer
4 wheel guided drawer
Black knobs and handle
Automatic ignition



FMC56.03

**Standard Features**

50x60 dual fuel cooker
 3 gas burners + 1 electric
 hotplate
 Electric oven
 Thermostat in oven
 Enamel pan support
 Enamel burner caps
 Flat aesthetic
 Metal lid

Optional Features

Flap drawer
 Button ignition
 Full outer glass door with big
 inner glass

FMC56.04

Standard Features

50x60 dual fuel cooker
 3 gas burners + 1 electric
 hotplate
 Electric oven
 Thermostat in oven
 Flat aesthetic
 Metal lid

Optional Features

4 wheel guided drawer
 Mat enamel pan support
 Mat enamel burner caps
 Automatic ignition
 Black glass oven door with U type
 white serigraphy
 Full outer glass door with big inner
 glass





FGC66.02

Standard Features

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps

Optional Features

- Stainless steel
- Glass aesthetic
- Black glass control panel, oven door and storage panel
- Glass lid with inox profile
- 4 wheel guided drawer
- Inox clad knobs
- Lamp
- Button ignition
- Inox handle

FGC66.03

Standard Features

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps

Optional Features

- Glass aesthetic
- White optical glass control panel, oven door and storage panel
- Glass lid with white profile
- 4 wheel guided drawer
- Lamp
- Button ignition



FGC66.04



Standard Features

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device

Optional Features

- Stainless steel
- Glass aesthetic
- Mirror glass control panel, oven door and storage panel
- Glass lid with inox profile
- 4 wheel guided drawer
- Lamp
- Button ignition
- Inox painted knobs & handle
- Mono stripe type laser-cut inox cladding on oven door
- Turnspit
- Mat Enamel pan support & burner caps

FGC66.06

Standard Features

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps
- Flat aesthetic

Optional Features

- Brown painted
- Brown enamelled cooktop
- Glass lid with brown profile
- Flap drawer
- Lamp
- Button ignition
- Digital clock timer (not programmer)
- Brown knobs and handle
- Turnspit
- Full outer glass door with big inner glass





FGC66.01

Standard Features

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device

Optional Features

- Stainless steel
- Edge Aesthetics
- 3D oven door and storage panel
- Metal oven door
- Wok burner
- Lamp
- Button ignition
- Digital clock timer (not programmer)
- Glass lid with inox profile
- Inox clad knobs and inox handle
- 4 wheel guided drawer
- Mat Enamel pan support & burner caps

FGC66.05

Standard Features

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps
- Flat oven door and storage panel
- Metal lid

Optional Features

- Edge Aesthetics
- Button ignition
- Mechanical timer
- Black glass oven door with white sides
- Flap drawer
- Full outer glass door with big inner glass



FGC56.01



Standard Features

- 50x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps
- Flat design control panel

Optional Features

- 3D aesthetic
- Metal oven door
- Mechanical minute minder
- Glass lid with bumper
- Flap drawer
- Automatic ignition
- Lamp

FGC56.02

Standard Features

- 50x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps

Optional Features

- Stainless steel
- 3D aesthetic
- Metal oven door
- Glass lid with inox profile
- Inox painted knobs & handle
- 4 wheel guided drawer
- Button ignition
- Lamp





FGC55.01

Standard Features

- 50x50 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps
- Flat aesthetic
- Metal lid

Optional Features

- Flap drawer
- Full outer glass door with big inner glass

FGC55.03

Standard Features

- 50x50 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support & burner caps
- Flat aesthetic

Optional Features

- Silver painted
- Silver enamelled cook top
- Glass lid with bumper
- Lamp
- Button ignition
- Mechanical minute minder
- Silver painted knobs and handle
- 4 wheel guided drawer
- Full outer glass door with big inner glass



FGC55.02



Standard Features

50x50 gas cooker
 4 gas burners
 Gas oven
 Gas safety oven
 Flame failure device
 Enamel pan support & burner caps
 Metal lid

Optional Features

3D aesthetic
 Metal oven door
 Flap drawer

FGC55.04

Standard Features

50x50 gas cooker
 3 gas burners + 1 electric hotplate
 Gas oven
 Gas safety oven
 Flame failure device
 Enamel pan support & burner caps
 Flat aesthetic
 Metal lid

Optional Features

Black painted
 Black enamel cooktop
 145mm solid hotplate
 Oven door thermostat
 Black painted knobs and handle
 Flap drawer
 Full outer glass door with big inner glass





Double Oven Cookers



- | | |
|------------------|---------------------|
| 1. Lid | 8. Cooktop |
| 2. Timer | 9. Knobs |
| 3. Control Panel | 10. Ignition Button |
| 4. Side Panel | 11. Top Oven Door |
| 5. Handle | 12. Main Oven Door |
| 6. Plinth | 13. Feet |
| 7. Pan Supports | |

Aesthetics & Add-on Types

Aesthetics



Flat



3D



Add-on Types



I Type Add-on



U Type Add-on



Flat Metal Oven Door
With Small Glass



Full Outer And Inner
Glass Oven Door




3D Metal Oven Door
With Small Glass



3D Metal Oven Door
With Big Glass




Cavity Rack Types



Enamel Mold Runners




Enamel Cavity With Mold Runners



Catalytic Enamel Side Panels




Catalytic Enamel Side And Rear Panels



Wire Rack In Enamel Cavity



Wire Racks In Enamel Cavity




Wire Rack In Catalytic Enamel Cavity



Catalytic Enamel Panel With Side Wire Racks



Single Telescopic Shelf



Single Telescopic Shelf With Stabilizer



Double Telescopic Shelves



Double Telescopic Shelves With Stabilizer



Full Telescopic Shelf



Double Full Telescopic Shelves




Telescopic



Full Telescopic

Details



Gas Grill (Fs Gas Cooker)



Open Flame Burner For Double Oven Cookers



Oven Lamp



Glass Lid Shut-Off Valve



Light Button (Fs Gas Cooker)



Ignition Button (Fs Gas Cookers)



Adjustable Feet




Wheels At Rear




Ground Type Anti-Tip Bracket




Wall Type Anti-Tip Bracket



Slim Design For Vitroc ceramic Hobs



Arc Design For Vitroc ceramic Hobs



Point Design For Vitroc ceramic Hobs




210 Mm Zone For Vitroc ceramic Hobs




Dual Zone For Vitroc ceramic Hobs




Vitroc ceramic Glass Cleaning Spatula




Hot Surface Indicator Light For Vitroc ceramic Hobs



Hot Surface Indicators For Vitroc ceramic Hobs



Highlight Heating Element



Radiant Heating Element

Details



Metal Lid



Glas Lid With Bumpers



Glas Lid With Metal Profile



Flame Failure Device For Gas Burners



Ignition For Gas Burners



Wok Burner



Rapid Solid Hotplate



Electric Grill



Fan With The Ring For Multifunction Ovens



Digital Full Programmer



Digital Clock



Mechanical Timer



Pan Support Types



Enamel Pan Supports



Mat Enamel Pan Supports



Cast Iron Pan Supports



Enamel Burner Caps



Enamel Flat Burner Caps



Mat Enamel Burner Caps



Cast Iron Burner Caps



Cast Iron Wok Adapter



Enamel Wok Adapter (Square)



Enamel Wok Adapter



V Type Enamelled



O Type Enamelled



D Type Enamelled



S Type Enamelled



K Type Enamelled



S Type Cast Iron



W Type Cast Iron



Coffie Support



Shallow Tray



Deep Tray



80Mm Deep Tray



Glass Tray




Chromed Wire Grid For Deep Tray



Grill Pan Handle Set



Round Tray And Grid Set



Chromed Wire Grid

DVC66.02



Standard Features

- 60 cm double oven electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door

Optional Features

- Vitroceraamic cooktop (2x145)(1x180)(1x210)
- Stainless steel
- Static top oven and grill
- Multifunction main oven
- 3D design control panel
- Black glass oven door with side stripe inox add-on
- Digital full programmer for main oven
- Inox cladde d knobs

DVC66.03

Standard Features

- 60 cm double oven electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

Optional Features

- Vitroceraamic cooktop (2x145, 1x180, 1x210)
- Stainless steel control panel
- Static top oven and grill
- Multifunction main oven
- Black glass oven door with side stripe inox add-on
- Lamp



DVC66.01



Standard Features

60 cm double oven electric cooker
 Vitroceramic cooktop (2x145)
 (2x180)
 Hot surface indicator light
 Thermostat in oven
 90 cm height
 Drop down top oven door and
 side opening main oven door

Optional Features

Static top oven and grill
 Multifunction main oven
 3D design control panel
 Black glass oven door with
 white sides
 Digital clock for main oven
 Inox cladded knobs
 Full outer glass door with big
 inner glass

DVC56.01

Standard Features

60 cm double oven electric
 cooker
 Hot surface indicator light
 Thermostat in oven
 90 cm height
 Drop down top oven door and
 side opening main oven door
 Flat design control panel

Optional Features

Vitroceramic cooktop (2x145)
 (1x180)(1x180dual)
 Static top oven and grill
 Multifunction main oven
 Black glass oven door with white
 sides
 Full outer glass door with big inner
 glass



DEC66.01



Standard Features

- 60 cm double oven electric cooker
- 4 solid hotplates (2x145) (2x180)
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

Optional Features

- Stainless steel
- 1 rapid hotplate
- Static top oven and grill
- Multifunction main oven
- Mechanical timer for main oven
- Black glass oven door with side stripe inox add-on
- Black knobs
- Inox handle
- Full outer glass door with big inner glass

DEC66.02

Standard Features

- 60 cm double oven electric cooker
- 4 solid hotplates (2x145) (2x180)
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

Optional Features

- 1 rapid hotplate
- Static top oven and grill
- Multifunction main oven
- Black glass oven door with white U-type serigraphy
- Full outer glass door with big inner glass



DEC56.02



Standard Features

50x60 cm double oven electric cooker
 4 solid hotplates (2x145, 2x180)
 Thermostat in oven
 90cm height
 Drop down top oven door and side opening main oven door
 Flat design control panel

Optional Features

Stainless steel control panel
 Static top oven and grill
 Static main oven and grill
 Black glass oven door with side stripe inox add-on
 Lamp

DEC56.01

Standard Features

50x60 cm double oven electric cooker
 4 solid hotplates (2x145) (2x180)
 Thermostat in oven
 90 cm height
 Drop down top oven door and side opening main oven door
 Flat design control panel

Optional Features

White painted
 Static top oven and grill
 Static main oven and grill
 Mechanical timer
 Metal oven door with small inner and outer glass
 Lamp



Double Oven



DMC66.01

Standard Features

60 cm double oven dual fuel cooker
3 gas burners + electric hotplate
Enamel pan supports & burner caps
90 cm height
Drop down top oven door and side opening main oven door
Thermostat in oven

Optional Features

Static top oven and grill
Multifunction main oven
3D design
Big glass oven door
Mechanical timer for main oven
Inox knobs & handle
Metal lid

DMC66.02

Standard Features

60 cm double oven dual fuel cooker
3 gas burners + electric hotplate
Enamel pan supports & burner caps
Drop down top oven door and main oven door
Thermostat in oven

Optional Features

Static top oven and grill
Multifunction main oven
3D design
Metal oven door
Digital full programmer for main oven
Inox clad knobs
Metal lid



*available only as twin cavity (only grill function in top cavity)

DMC66.03 - RUSTIC



Standard Features

60 cm double oven dual fuel cooker
4 gas burners
Enamel pan supports & burner caps
Drop down top oven door and main oven door
Thermostat in oven

Optional Features

Static top oven and grill
Rustic style knobs and handles
3D design
Black painted
Metal oven door
Rustic style oven door glass
Mechanical timer for main oven
Metal lid

*available only as twin cavity (only grill function in top cavity)

DMC66.04

Standard Features

60x60 cm double oven dual fuel cooker
4 gas burners
Electric oven
Thermostat in oven
85cm height
Drop down top oven door and main oven door
Enamel pan supports & burner caps
3D design control panel

Optional Features

White painted
Static top oven and grill
Multifunction main oven
Mechanical timer
Glass lid with bumpers
Metal oven door with big outer glass
Lamp



DMC56.01



Standard Features

- 50x60 cm double oven dual fuel cooker
- 4 gas burners
- Enamel pan supports & burner caps
- 90 cm height
- Drop down top oven door and side opening main oven door
- Thermostat in oven
- Flat design control panel

Optional Features

- Static top oven and grill
- Multifunction main oven
- Black glass oven door with white side stripe serigraphy
- Full outer glass door with big inner glass

DMC56.02

Standard Features

- 50x60 cm double oven dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

Optional Features

- Black painted
- Static top oven and grill
- Multifunction main oven
- Black glass oven door
- Lamp



DGC66.01



Standard Features

60 cm double oven gas cooker
 4 gas burners
 Enamel pan supports & burner caps
 Open flame burner in main oven
 90 cm height
 Drop down top oven door and side opening main oven door
 Black painted knobs
 Flat design control panel

Optional Features

Button ignition
 Glass lid with black profile
 Variable gas grill and open flame burner in top oven
 Anthracite painted
 Black glass oven door with anthracite side stripe serigraphy
 Digital clock for main oven
 Thermostat in top and main oven
 Full outer glass door with big inner glass

DGC66.03

Standard Features

60x60 cm double oven gas cooker
 4 gas burners
 Open flame burner in main oven
 Enamel pan supports & burner caps
 90cm height
 Drop down top oven door and side opening main oven door
 Flat design control panel

Optional Features

White painted
 Button ignition
 Variable gas grill and open flame burner in top oven
 Digital clock for main oven
 Metal oven door with small inner and outer glass
 Lamp



Double Oven



DGC66.02

Standard Features

60 cm double oven gas cooker
4 gas burners
Enamel pan supports & burner caps
Open flame burner in main oven
90 cm height
Drop down top oven door and side opening main oven door
3D design control panel

Optional Features

Button ignition
Glass lid with white profile
Variable gas grill and open flame burner in top oven
Big glass oven door
Thermostat in top and main oven
Mechanical timer for main oven
Full outer glass door with big inner glass

DGC56.02

Standard Features

50x60 cm double oven gas cooker
4 gas burners
Enamel pan supports & burner caps
Open flame burner in main oven
90 cm height
Drop down top oven door and side opening main oven door
Flat design control panel

Optional Features

Button ignition
Variable gas grill and open flame burner in top oven
Black glass oven door with white side stripe serigraphy
Thermostat in top and main oven
Full outer glass door with big inner glass



DGC56.03



Standard Features

50x60 cm double oven gas cooker
 4 gas burners
 Open flame burner in main oven
 Enamel pan supports & burner caps
 90cm height
 Drop down top oven door and side opening main oven door
 Flat design control panel

Optional Features

White painted
 Button ignition
 Variable gas grill and open flame burner in top oven
 Digital clock for main oven
 Metal oven door with small inner and outer glass
 Lamp

DGC56.01

Standard Features

50x60 cm double oven gas cooker
 4 gas burners
 Enamel pan supports & burner caps
 Open flame burner in main oven
 90 cm height
 Drop down top oven door and side opening main oven door
 Flat design control panel

Optional Features

Button ignition
 Variable gas grill and open flame burner in top oven
 Black glass oven door with white side stripe serigraphy
 Thermostat in top and main oven
 Metal oven door
 Inox knobs



*available only as twin cavity (only grill function in top cavity)



90x60 Free Standing Cookers



- | | |
|--------------------|-----------------------------|
| 1. Lid | 8. Cooktop |
| 2. Timer | 9. Control Panel |
| 3. Ignition Button | 10. Knobs |
| 4. Side Panel | 11. Handles |
| 5. Oven Door | 12. Bottle Compartment Door |
| 6. Drawer | 13. Feet |
| 7. Pan Supports | |

Aesthetics



Standard Flat Look



Standard 3D Look



Professional Look



Professional Glass Look



Door Types



TYPE 8



TYPE 8 BC



TYPE 9



TYPE 9 BC

Add-on Types



U Type



I Type



Mono Stripe

Cavity Shelf Types



Enamel Cavity With Mold Runners



Enamel Cavity With Wire Racks



Catalytic Enamel Side And Rear Panel



Catalytic Enamel Panel With Side Wire Racks



Wire Racks With Single Telescopic Shelf



Wire Racks With Single Telescopic Shelf



Wire Racks With Single Full Extension Telescopic Shelf

Cavity Types



Electrical Multi-Function Oven Cavity Double Fan Assisted



Electrical Multi-Function Oven Cavity Single Fan Assisted



Electrical Standard Oven Cavity Static



Bottle Compartment Gas Oven Cavity



Fan-Assisted Gas Oven Cavity

Lamps



Electrical Cooker Lamps



Gas Cooker Lamps

Bottle Compartment



Standard Compartment Door



Full Compartment Door



Standard Bottom Support Sheet



Tube Holder Sheet Cover



Tube Holder Wire

Timer Types



Digital Full Programmer



Digital Clock And Minute Minder



Mechanical Timer



Minute Minder

Lid Types



Glass Lid With Metal Profile



Glass Lid With Bumpers

Details



Kickplate




Splash Back




Feet




Flap Drawer



Slim Design For Vitroceramic Hobs




Arc Design For Vitroceramic Hobs



Point Design For Vitroceramic Hobs




Slim Design (For Induction Hobs).Jpg




210 Mm Zone For Vitroceramic Hobs



Dual Zone For Vitroceramic Hobs



Highlight Heating Element



Induction Touch Control Panel

Pan Support Details



Cast Iron Pan Supports



Mat Enamel Pan Supports



Enamel Pan Supports



Enamel Burner Caps



Enamel Flat Burner Caps



Mat Enamel Burner Caps



Cast Iron Burner Caps



Cast Iron Wok Adapter



Enamel Wok Adapter (Square)



Enamel Wok Adapter



Flame Failure Device For Gas Burners



Ignition For Gas Burners




Vitroceramic Glass Cleaning Spatula



Fish Burner



Wok Burner



Rapid Solid Hotplate

Pan Spoot Types



Enameled S Type



Enameled E Type



Cast iron T Type



Cast iron S Type



Grid



Baking (Shallow) Tray



Roasting (Deep) Tray



Deep Tray Grid



Small Tray



Grill Pan with Handle Set



Turnspit Set

FIC90.02



Standard Features

- 90x60 Induction cooker
- Standard flat aesthetic
- Touch control
- Electric oven
- Thermostat in oven

Optional Features

- Stainless steel
- Induction cooktop (2x160, 2x200, 1x250)
- Mechanical timer
- Flap drawer
- Splashback
- U type laser cut inox cladding on oven door
- Inox painted knobs
- Inox handle
- Lamp & turnspit

FIC90.01

Standard Features

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 4 gas burners
- 2 induction zones (1x200mm, 1x160mm)
- Electric oven
- Thermostat in oven

Optional Features

- Stainless Steel
- Inox handle
- Inox painted knobs
- Cast iron burner caps & pan supports
- Flap drawer
- Side stripe laser-cut inox cladding on oven door
- Automatic ignition
- Splash back
- Lamp



FVC90.02

**Standard Features**

90x60 vitroceramic cooker
 Standard flat aesthetic
 Hot surface indicator light
 Electric oven
 Thermostat in oven

Optional Features

Stainless steel
 Vitroceramic cooktop
 (2x145)(1x180)(1x210 dual)
 (1xoval ceran)
 Digital full programmer
 Flap drawer
 Splash back
 Double fan assisted oven
 Inox painted knobs
 Inox handle
 Lamp

FMC90.09

Standard Features

90x60 dual fuel cooker
 Standard flat aesthetic
 4 gas burners + 2 solid hot-plates (1x145, 1x180)
 Electric oven
 Thermostat in oven

Optional Features

Stainless steel
 Enamel burner caps & pan supports
 Mechanical timer
 Flap drawer
 Glass lid with bumpers
 Auto ignition
 Inox painted knobs
 Inox handle
 Lamp & turnspit



FMC90.04



Standard Features

90x60 dual fuel cooker
Standard flat aesthetic
4 gas burners + 2 solid hot-plates (1x145mm, 1x180mm)
Electric oven
Thermostat in oven

Optional Features

Cast iron pan supports & burner caps
Stainless Steel
Mechanical timer
Flap drawer
Splash back
Auto ignition
Lamp
Turnspit
Inox handle
Inox painted feet
Inox painted knobs

FMC90.08

Standard Features

90x60 dual fuel cooker
Standard flat aesthetic
4 gas burners + 2 solid hot-plates (1x145, 1x180)
Electric oven
Thermostat in oven

Optional Features

Cream painted
Cast iron pan supports & burner caps
Mechanical timer
Flap drawer
Splashback
Auto ignition
Rustic knobs & handle
Black painted cooktop
Lamp & turnspit





FMC90.01

Standard Features

90x60 dual fuel cooker
5 gas burners
Electric oven
Thermostat in oven
Enamelled pan supports
Enamelled burner caps

Optional Features

Stainless steel
Glass lid with inox profile
Wok burner
Flap drawer
Inox painted knobs
Inox handle
Inox painted feet
Mono stripe 100mm
laser-cut inox cladding on
oven door
Button ignition
Lamp
3D aesthetics

FMC90.05

Standard Features

90x60 dual fuel cooker
5 gas burners
Electric oven
Thermostat in oven

Optional Features

Stainless steel
Professional aesthetic
Cast iron burner caps & pan
supports
Wok burner
Flap drawer
Inox painted feet
Inox painted knobs
Inox handle
Mechanical timer
Splash back
Mono stripe 100mm laser-cut inox
cladding on oven door
Lamp



FMC90.06



Standard Features

- 90x60 dual fuel cooker
- 5 gas burners
- Electric oven
- Thermostat in oven

Optional Features

- Professional aesthetic
- Cream painted
- Cast iron burner caps & pan supports
- Wok burner
- Flap Drawer
- Rustic knobs & handle
- Mechanical Timer
- Splash back
- Side stripe laser-cut painted cladding on oven door
- Lamp
- Inox cooktop

FMC90.07

Standard Features

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 5 gas burners
- Electric oven
- Thermostat in oven

Optional Features

- Anthracite painted
- Cast iron burner caps & pan supports
- Wok burner
- Flap Drawer
- Digital full programmer timer
- Splash back
- Lamp
- Button ignition
- Turnspit





FMC90.02

Standard Features

90x60 dual fuel cooker
Standard flat aesthetic
5 gas burners
Electric oven
Thermostat in oven
Enamel pan supports
Enamel burner caps

Optional Features

Digital clock
Wok burner
Flap drawer
Glass lid with bumpers
Button ignition
Lamp
Turnspit

FGC90.07

Standard Features

90x60 gas cooker
5 gas burners
Gas oven
Gas safety oven

Optional Features

Professional aesthetic
Glass front face
Flap drawer
Digital clock
Splash back
Cast iron pan supports & burner caps
Inox cooktop and side pan
Lamp
Turnspit
Button ignition



FGC90.06



Standard Features

- 90x60 gas cooker
- 5 gas burners
- Gas oven
- Gas safety oven

Optional Features

- Professional aesthetic
- Stainless steel
- Mechanical minute minder
- Cast iron pan supports & burner caps
- Wok burner
- Flap drawer
- Inox painted knobs
- Inox handle
- Splash back
- Auto ignition
- Separate knob control gas oven and gas grill
- Lamp
- Turnspit

FGC90.01

Standard Features

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Gas oven
- Gas safety oven

Optional Features

- Stainless steel
- Mechanical minute minder
- Cast iron pan supports & burner caps
- Wok burner
- Flap drawer
- Inox painted knobs
- Inox handle
- Splash back
- U type laser-cut inox cladding on oven door
- Electrical grill
- Inox painted feet
- Auto ignition
- Lamp
- Turnspit





FGC90.13

Standard Features

90x60 gas cooker
Standard flat aesthetic
5 gas burners
Gas oven
Gas safety oven

Optional Features

White painted
Enamel burner caps & pan supports
Glass lid with bumpers
Auto ignition
White painted knobs
White painted handle

FGC90.10

Standard Features

90x60 gas cooker
Standard flat aesthetic
5 gas burners
Gas oven
Gas safety oven
Enamel burner caps & pan supports

Optional Features

Flap Drawer
Mechanical Timer
Button ignition
Turnspit
Lamp
Wok burner
Glass lid with profile



FGC90.12



Standard Features

- 90x60 gas cooker
- 5 gas burners
- Gas oven
- Gas safety oven

Optional Features

- Professional aesthetic
- Red painted
- Wok burner
- Cast iron burner caps & pan supports
- Flap drawer
- Rustic knobs & handle
- Splash back
- Side stripe laser-cut painted cladding on oven door
- Automatic ignition
- Turnspit
- Lamp
- Inox cooktop

FGC90.11

Standard Features

- 90x60 gas cooker
- 5 gas burners
- Gas oven
- Gas safety oven

Optional Features

- Professional aesthetic
- Blue painted
- Wok burner
- Cast iron burner caps & pan supports
- Flap drawer
- Rustic knobs
- Inox handle
- Splash back
- Side stripe laser-cut painted cladding on oven door
- Automatic ignition
- Turnspit
- Lamp
- Inox cooktop





FGC90.02

Standard Features

90x60 gas cooker
Standard flat aesthetic
5 gas burners
Gas oven & gas safety oven
Enamelled pan supports
Enamelled burner caps

Optional Features

Stainless steel
Wok burner
Flap drawer
Inox painted knobs & feets
Inox handles
Full door bottle compartment
Electrical grill
Glass lid with bumpers

FGC90.09

Standard Features

90x60 gas cooker
Standard flat aesthetic
5 gas burners
Gas oven
Electric grill
Gas safety oven

Optional Features

Stainless steel
Half door bottle compartment
Wok burner
Glass lid with inox profile
Flap drawer
Cast iron pan supports & burner caps
Button ignition





FGC90.03

Standard Features

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 5 gas burners
- Electric oven
- Thermostat in oven

Optional Features

- White painted
- Full door bottle compartment
- Mechanical timer
- Glass lid with white painted profile
- Flap drawer
- Enamel burner caps & pan supports
- Auto ignition
- Lamp

FGC90.05

Standard Features

- 90x60 gas cooker
- Standard flat aesthetic
- 5 gas burners
- Enamel burner caps & pan supports
- Gas oven
- Gas safety oven

Optional Features

- Brown painted
- Wok burner
- Wok adaptor
- Flap drawer
- Black knobs
- Black painted handles
- Full door bottle compartment
- Glass lid with bumpers
- Auto ignition



FGC90.08

**Standard Features**

90x60 dual fuel cooker
 Standard flat aesthetic
 5 gas burners
 Electric oven
 Thermostat in oven
 Enamel burner caps & pan supports

Optional Features

TDF Painted
 Flap Drawer
 Full door bottle compartment
 Mechanical timer

FGC90.04

Standard Features

90x60 gas cooker
 Standard flat aesthetic
 5 gas burners
 Gas oven
 Gas safety oven
 Enamel burner caps & pan supports

Optional Features

Full door bottle compartment
 Flap Drawer
 White painted oven door glass



Free-Standing Cookers Specification Sheet	Gas Cooker					Electric Cooker with Solid Hotplates			
	90x60	90x60 BC	60x60	50x60	50x50	60x60	50x60	50x50	
Available Colours									
White	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Brown	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Terre de France	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Black	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Dark Green	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Silver	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Inox painted	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Stainless Steel	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Red	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Anthracite***	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Cream***	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Nominal Dimensions									
Height (Adjustable Feet max. +3.0cm)	cm	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90
Width	cm	90	90	60	50	50	60	50	50
Depth	cm	60	60	60	60	50	60	60	50
Hob Features									
Hob		Enamel	Enamel	Enamel	Enamel	Enamel	Enamel	Enamel	Enamel
Gas on Glass Hob		Optional	Optional	Optional	-	-	-	-	-
Two Gas Two Hot Plate Hob Configuration		-	-	Optional	Optional	-	-	-	-
Rapid Gas Burner Ø10cm	W	3000	3000	3000	3000	3000	-	-	-
Semi-rapid Gas Burner Ø7.5cm	W	1750	1750	1750	1750	1650	-	-	-
Auxiliary Gas Burner Ø5.5cm	W	1000	1000	1000	1000	1000	-	-	-
Wok (Triple Flame) Gas Burner Ø14cm	W	3600	3600	3600	-	-	-	-	-
Fish Burner	W	2800	-	-	-	-	-	-	-
Ø 80 mm Hotplate	W	-	-	-	-	-	450	450	-
Ø 145 mm Hotplate	W	1000	1000	1000	1000	1000	1000	1000	1000
Ø 180 mm Hotplate	W	1500	1500	1500	1500	-	1500	1500	1500
Ø 220 mm Hotplate	W	-	-	-	-	-	2000	2000	-
Ø 145 mm Rapid Hotplate	W	1500	1500	1500	1500	1500	1500	1500	1500
Ø 180 mm Rapid Hotplate	W	2000	2000	2000	2000	-	2000	2000	2000
Ø145 mm Radiant Element	W	-	-	-	-	-	-	-	-
Ø180 mm Radiant Element	W	-	-	-	-	-	-	-	-
Ø145 mm Highlite Element	W	-	-	-	-	-	-	-	-
Ø180 mm Highlite Element	W	-	-	-	-	-	-	-	-
Ø210 mm Highlite Element	W	-	-	-	-	-	-	-	-
Ø180 mm Dual Highlite Element	W	-	-	-	-	-	-	-	-
Oval Highlite Element	W	-	-	-	-	-	-	-	-
Ø210 mm Dual Highlite Element	W	-	-	-	-	-	-	-	-
Hot Surface Indicator Light		-	-	-	-	-	-	-	-
Hotplate Operation Indicator Light		-	-	-	-	-	Standard	Standard	Standard
Thermostat Operation Indicator Light		-	-	-	-	-	Standard	Standard	Standard
Stainless Steel Burner Pan (in case of gas on glass hob)		Optional	Optional	Optional	-	-	-	-	-
Metal Lid		-	-	Standard	Standard	Standard	Optional	Optional	Optional
Glass Lid		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Splash Back		Optional	Optional	-	-	-	-	-	-
Burner Safety Valves		Optional	Optional	Optional	Optional	Optional	-	-	-
Battery ignition		Optional	Optional	Optional	Optional	Optional	-	-	-
Button Ignition		Optional	Optional	Optional	Optional	Optional	-	-	-
One-touch-Ignition through knobs		Optional	Optional	Optional	Optional	Optional	-	-	-
Enamel Pan Supports		Standard	Standard	Standard	Standard	Standard	-	-	-
Cast Iron Pan Supports		Optional	Optional	Optional	-	-	-	-	-
Cast Iron Burner Caps		Optional	Optional	Optional	Optional	Optional	-	-	-
Coffee Adaptor		Optional	Optional	Optional	Optional	Optional	-	-	-
Wok Adaptor		Optional	Optional	Optional	-	-	-	-	-
Vitrocamic Glass Cleaning Spatula		-	-	-	-	-	-	-	-
Gas Conversion Kit		Standard	Standard	Standard	Standard	Standard	-	-	-
Oven Features									
Oven Type		Gas	Gas	Gas	Gas	Gas	Electric	Electric	Electric
Oven Volume (without/with fan or catalytic panel)	lt	89-116	62-73	62-73	44-57	48-55	56-76	48-58	51-56
Cavity Dimensions (without/with fan)	mm	700x314x404 725x367x436	430x310x391 455x362x437	430x310x391 455x362x437	370x310x388 395x362x437	370x310x414 395x362x426	430x335x391 455x366x403	370x335x391 395x366x403	370x335x408 395x335x422
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Catalytic Enamel Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional (only left and right panels)	Optional	Optional	Optional (only left and right panels)
Wire Side Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Telescopic Rails (1 or 2 racks)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional

Free-Standing Cookers Specification Sheet	Electric Cooker with VitroCeramic Glass					Combi (Dual Fuel) Cooker				
	90x60	60x60	50x60	50x50		90x60	90x60 BC	60x60	50x60	50x50
Available Colours										
White		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Brown		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Terre de France		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Black		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Dark Green		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Silver		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Inox painted		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Stainless Steel		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Red		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Anthracite***		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Cream***		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Nominal Dimensions										
Height (Adjustable Feet max. +3.0cm)	cm	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90	85 / 90
Width	cm	90	60	50	50	90	90	60	50	50
Depth	cm	60	60	60	50	60	60	60	60	50
Hob Features										
Hob		Vitro ceramic	Vitro ceramic	Vitro ceramic	Vitro ceramic	Enamel	Enamel	Enamel	Enamel	Enamel
Gas on Glass Hob		-	-	-	-	Optional	Optional	Optional	-	-
Two Gas Two Hot Plate Hob Configuration		-	-	-	-	-	-	Optional	Optional	-
Rapid Gas Burner Ø10cm	W	-	-	-	-	3000	3000	3000	3000	3000
Semi-rapid Gas Burner Ø7.5cm	W	-	-	-	-	1750	1750	1750	1750	1650
Auxiliary Gas Burner Ø5.5cm	W	-	-	-	-	1000	1000	1000	1000	1000
Wok (Triple Flame) Gas Burner Ø14cm	W	-	-	-	-	3600	3600	3800	-	-
Fish Burner	W	-	-	-	-	2800	-	-	-	-
Ø 80 mm Hotplate	W	-	-	-	-	-	-	-	-	-
Ø 145 mm Hotplate	W	-	-	-	-	1000	1000	1000	1000	1000
Ø 180 mm Hotplate	W	-	-	-	-	1500	1500	1500	1500	-
Ø 220 mm Hotplate	W	-	-	-	-	-	-	-	-	-
Ø 145 mm Rapid Hotplate	W	-	-	-	-	1500	-	1500	1500	1500
Ø 180 mm Rapid Hotplate	W	-	-	-	-	2000	-	2000	2000	-
Ø145 mm Radiant Element	W	1200	1200	1200	1200	-	-	-	-	-
Ø180 mm Radiant Element	W	1700	1700	1700	1700	-	-	-	-	-
Ø145 mm Highlite Element	W	1200	1200	1200	1200	-	-	-	-	-
Ø180 mm Highlite Element	W	1800	1800	1800	1800	-	-	-	-	-
Ø210 mm Highlite Element	W	2300	2300	-	-	-	-	-	-	-
Ø180 mm Dual Highlite Element	W	1700	1700	1700	1700	-	-	-	-	-
Oval Highlite Element	W	1800	1800	1800	-	-	-	-	-	-
Ø210 mm Dual Highlite Element	W	2200	2200	-	-	-	-	-	-	-
Hot Surface Indicator Light		Standard	Standard	Standard	Standard	-	-	-	-	-
Hotplate Operation Indicator Light		-	-	-	-	-	-	-	-	-
Thermostat Operation Indicator Light		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Stainless Steel Burner Pan (in case of gas on glass hob)		-	-	-	-	Optional	Optional	Optional	-	-
Metal Lid		-	-	-	-	-	-	Standard	Standard	Standard
Glass Lid		-	-	-	-	Optional	Optional	Optional	Optional	Optional
Splash Back		Optional	-	-	-	Optional	Optional	-	-	-
Burner Safety Valves		-	-	-	-	Optional	Optional	Optional	Optional	Optional
Battery ignition		-	-	-	-	-	-	-	-	-
Button Ignition		-	-	-	-	Optional	Optional	Optional	Optional	Optional
One-touch-ignition through knobs		-	-	-	-	Optional	Optional	Optional	Optional	Optional
Enamel Pan Supports		-	-	-	-	Standard	Standard	Standard	Standard	Standard
Cast Iron Pan Supports		-	-	-	-	Optional	Optional	Optional	-	-
Cast Iron Burner Caps		-	-	-	-	Optional	Optional	Optional	Optional	Optional
Coffee Adaptor		-	-	-	-	Optional	Optional	Optional	Optional	Optional
Wok Adaptor		-	-	-	-	Optional	Optional	Optional	Optional	Optional
Vitroceraamic Glass Cleaning Spatula		Optional	Optional	Optional	Optional	-	-	-	-	-
Gas Conversion Kit		-	-	-	-	Standard	Standard	Standard	Standard	Standard
Oven Features										
Oven Type		Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume (without/with fan or catalytic panel)	lt	99-116	56-76	48-58	51-56	99-116	56-76	56-76	48-58	51-56
Cavity Dimensions (without/with fan)	mm	700x352x404 725x352x453	430x335x391 455x366x403	370x335x391 395x366x403	370x335x408 395x335x422	700x352x404 725x352x453	430x335x391 455x366x403	430x335x391 455x366x403	370x335x391 395x366x403	370x335x408 395x335x422
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Catalytic Enamel Panels (Left, right and rear)		Optional	Optional	Optional	Optional (only left and right panels)	Optional	Optional	Optional	Optional	Optional (only left and right panels)
Wire Side Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Telescopic Rails (1 or 2 racks)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional

Specifications

Free-Standing Cookers Specification Sheet		Gas Cooker					Electric Cooker with Solid Hotplates		
		90x60	90x60 BC	60x60	50x60	50x50	60x60	50x60	50x50
Electrical Oven Functions		-	-	-	-	-	Up to 9	Up to 9	Up to 9
Top Heating Element	W	-	-	-	-	-	1200	1000	1000
Bottom Heating Element	W	-	-	-	-	-	1100	1000	1000
Thermostat		Optional	Optional	Optional	Optional	Optional	Standard	Standard	Standard
Oven Safety		Standard	Standard	Standard	Standard	Standard	-	-	-
Oven Burner (Thermostat Controlled)	W	4200	2800	2800	2800	2100	-	-	-
Electrical Single Grill	W	2000	2000	1400	1600	1600	1400	1600	1600
Gas Grill	W	3100	2100	2200	2200	2000	-	-	-
Electrical Double Grill	W	-	-	-	-	-	1400 - 2600	1600 - 2600	1600-2600
Fan	W	Optional	-	-	-	-	23 -35	23 -35	-
Double Fan	W	-	-	-	-	-	-	-	-
Fan with Ring Heating Element	W	-	-	-	-	-	2000	2000	-
Double Fan with Double Ring Heating Element	W	-	-	-	-	-	-	-	-
Automatic Boost Function		-	-	-	-	-	-	-	-
Turnspit		Optional	Optional	Optional	Optional	Optional	Optional	Optional	-
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer		-	-	-	-	-	Optional	Optional	Optional
Analog Timer		-	-	-	-	-	-	-	-
Digital Clock		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer		-	-	-	-	-	Optional	Optional	Optional
Baking Tray (Shallow Tray)		1	1	Optional	Optional	Optional	Optional	Optional	Optional
Glass Tray		-	Optional	Optional	-	-	Optional	-	-
Roasting Tray (Deep Tray)		Optional	Optional	1	1	1	1	1	1
Chromed Grid with Stoper		1	1	1	1	1	1	1	1
Wire grid for deep tray		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Broil Pan with Handle Set		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Flap Drawer at the bottom		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
4WG Farmer Drawer at the bottom		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Full outer glass and Inner metal door (small glass) Oven Door		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Inclined Solid Oven Door		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Full outer glass and full inner glass Oven Door		Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
Removable inner glass (with full glass outer and full glass inner door)		Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
Cool Touch Oven Door		-	-	Optional	Optional	-	Optional	Optional	-
Floating Oven Door Glass		Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
Removable Oven Door		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Glass Application on Control Panel		Optional	-	Optional	-	-	Optional	-	-
Glass Application on Drawer Cover		Optional	-	Optional	-	-	Optional	-	-
Child Lock on Oven Door		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Tip over Bracket (Wall Type / Ground Type)		Optional	Optional	Optional	Optional	Optional	Standard	Standard	Standard
Shabat Function		-	-	-	-	-	Optional	-	-
Total Power (Depends on Model) Maximum	kW	14,9 5,4	14,9 5	11,1 4,9	10,3 4,5	9,4 2,5	- 10,1	- 10	- 9,6
Voltage	V	230V ~	230V ~	230V ~	230V ~	230V ~	230V ~ / 400V 3N~	230V ~ / 400V 3N~	230V ~ / 400V 3N~
Energy consumption according to the EN50304 Standards (Depends on Model)	kWh	-	-	-	-	-	0.79 - 0.90	0.79 - 0.89	0.79 - 0.85
Electric Cooker Energy Rating		-	-	-	-	-	A / B	A / B	A / B
Cavity Insulation		White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow
Pop-in / Pop-out Knob		-	-	-	-	-	Optional	Optional	Optional
Bottle Compartment		Optional	Optional	-	-	-	-	-	-
Splash Back		Optional	Optional	-	-	-	-	-	-
Serigraphy on Knob		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
RoHS Compliance		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
CE Compliance		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Height with Lid Open (85 cm/90 cm)	cm	145 / 150	145 / 150	145 / 150	145 / 150	135 / 140	145 / 150	145 / 150	145 / 150
Depth with Door Open FS / NGFS	cm	105 / 106	105 / 106	105 / 106	105 / 106	95	105 / 106	105 / 106	100
Carton Box Packaging		Standard	Standard	Optional	Optional	Optional	Optional	Optional	Optional
Packed Product Dimensions (85 cm/90 cm)	mm	950x630x660	950x630x660	645x634x922 645x634x977	545x634x919 545x634x974	545x636x912 545x636x967	645x634x922 645x634x977	545x634x919 545x634x974	545x636x912 545x636x967
Net Weight (Depends on Model) Maximum	kg	74	74	43	40	36	46	43	42
Gross Weight (Depends on Model) Maximum	kg	77	77	46,5	43,2	39	49,5	46,2	45
Container Loading Quantity* (20 ft Container)	pcs	40	40	48	68	80	48	68	80
Container Loading Quantity* (40 ft Container)	pcs	82	82	108	144	168	108	144	168
Container Loading Quantity* (40 ft HC Container)	pcs	123	123	108	144	168	108	144	168

* Shrink packaging for model with 85cm high and vertical positioning in container

** Big cavity (65 LT) ovens

*** Only on painted parts

Free-Standing Cookers Specification Sheet		Electric Cooker with VitroCeramic Glass				Combi (Dual Fuel) Cooker				
		90x60	60x60	50x60	50x50	90x60	90x60 BC	60x60	50x60	50x50
Electrical Oven Functions		Up to 9	Up to 9	Up to 9	Up to 9	Up to 9	Up to 9	Up to 9	Up to 9	Up to 9
Top Heating Element	W	1200	1200	1000	1000	1200	1200	1200	1000	1000
Bottom Heating Element	W	1200	1100	1000	1000	1200	1100	1100	1000	1000
Thermostat		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Oven Safety		-	-	-	-	-	-	-	-	-
Oven Burner (Thermostat Controlled)	W	-	-	-	-	-	-	-	-	-
Electrical Single Grill	W	1800	1400	1600	1600	1800	1400	1400	1600	1600
Gas Grill	W	-	-	-	-	-	-	-	-	-
Electrical Double Grill	W	1800-3000	1400 - 2600	1600 - 2600	1600-2600	1800-3000	1400 - 2600	1400 - 2600	1600 - 2600	1600 - 2600
Fan	W	23 - 35	23 -35	23 -35	-	23 - 35	-	23 -35	23 -35	-
Double Fan	W	46 - 70	-	-	-	46 - 70	-	-	-	-
Fan with Ring Heating Element	W	1600	2000	2000	-	1600	-	2000	2000	-
Double Fan with Double Ring Heating Element	W	3200	-	-	-	3200	-	-	-	-
Automatic Boost Function		-	-	-	-	-	-	-	-	-
Turnspit		Optional	Optional	Optional	-	Optional	Optional	Optional	Optional	Optional
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Analog Timer		-	-	-	-	-	-	-	-	-
Digital Clock		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Baking Tray (Shallow Tray)		1	Optional	Optional	Optional	1	1	Optional	Optional	Optional
Glass Tray		-	Optional	-	-	-	Optional	Optional	-	-
Roasting Tray (Deep Tray)		Optional	1	1	1	Optional	Optional	1	1	1
Chromed Grid with Stoper		1	1	1	1	1	1	1	1	1
Wire grid for deep tray		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Broil Pan with Handle Set		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Flap Drawer at the bottom		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
4WG Farmer Drawer at the bottom		-	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Full outer glass and Inner metal door (small glass) Oven Door		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	-
Inclined Solid Oven Door		-	Optional	Optional	Optional	-	-	Optional	Optional	-
Full outer glass and full inner glass Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Standard
Removable inner glass (with full glass outer and full glass inner door)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Cool Touch Oven Door		-	Optional	Optional	-	-	-	Optional	Optional	-
Flotal Oven Door Glass		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable Oven Door		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Glass Application on Control Panel		-	Optional	-	-	Optional	-	Optional	-	-
Glass Application on Drawer Cover		-	Optional	-	-	Optional	-	Optional	-	-
Child Lock on Oven Door		-	Optional	Optional	Optional	-	-	Optional	Optional	Optional
Tip over Bracket (Wall Type / Ground Type)		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Shabat Function		-	Optional	-	-	-	-	Optional	-	-
Total Power (Depends on Model) Maximum	kW	11,2	11,4	9,6	8	11,1 6,6	11,1 6,2	8,3 6,6	7,5 6,1	7,3 4,1
Voltage	V	230V ~ / 400V 3N~	230V ~ / 400V 3N~	230V ~ / 400V 3N~	230V ~ / 400V 3N~	230V ~	230V ~	230V ~	230V ~	230V ~
Energy consumption according to the EN50304 Standards (Depends on Model)	kWh	0,98 - 1,18	0,79 - 0,90	0,79 - 0,89	0,79 - 0,85	0,98 - 1,18	0,98 - 1,18	0,79 - 0,90	0,79 - 0,89	0,79 - 0,85
Electric Cooker Energy Rating		A / B	A / B	A / B	A / B	A / B	A / B	A / B	A / B	A / B
Cavity Insulation		White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow
Pop-in / Pop-out Knob		Optional	Optional	Optional	Optional	Optional	Optional	-	-	-
Bottle Compartment		-	-	-	-	Optional	Optional	-	-	-
Splash Back		Optional	-	-	-	Optional	Optional	-	-	-
Scrigraphy on Knob		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
RoHS Compliance		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
CE Compliance		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Height with Lid Open (85 cm/90 cm)	cm	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150
Depth with Door Open FS / NGFS	cm	105 / 106	105 / 106	105 / 106	100	105 / 106	105 / 106	105 / 106	105 / 106	95
Carton Box Packaging		Standard	Optional	Optional	Optional	Standard	Standard	Optional	Optional	Optional
Packed Product Dimensions (85 cm/90 cm)	mm	950x680x660	645x634x922 645x634x977	545x634x919 545x634x974	545x636x912 545x636x967	950x680x660	950x680x660	645x634x922 645x634x977	545x634x919 545x634x974	545x636x912 545x636x967
Net Weight (Depends on Model) Maximum	kg	74	45	42	41	74	74	45	42	39
Gross Weight (Depends on Model) Maximum	kg	77	48,5	45,2	44	77	77	48,5	45,2	43
Container Loading Quantity* (20 ft Container)	pcs	40	48	68	80	40	40	48	68	80
Container Loading Quantity* (40 ft Container)	pcs	82	108	144	168	82	82	108	144	168
Container Loading Quantity* (40 ft HC Container)	pcs	123	108	144	168	123	123	108	144	168

Double Oven Specification Sheet		Gas DO		Electric DO with Solid Hotplates		ElectricDO with Ceramic Glass		Mixed (Dual Fuel) DO	
		60x60	50x60	60x60	50x60	60x60	50x60	60x60	50x60
Available Colours									
White		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Brown		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Terre de France		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Black		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Dark Green		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Silver		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Inox painted		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Stainless Steel		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Anthracite***		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Cream***		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Nominal Dimensions									
Height (Adjustable Feet max. +3.5cm)	cm	90	90	85* / 90	90	85* / 90	90	85* / 90	90
Width	cm	60	50	60	50	60	50	60	50
Depth	cm	60	60	60	60	60	60	60	60
Hob Features									
Hob		Enamel	Enamel	Enamel	Enamel	Vitroc ceramic	Vitroc ceramic	Enamel	Enamel
Gas on Glass Hob		Optional	-	-	-	-	-	Optional	-
Rapid Gas Burner Ø10cm	W	3000	3000	-	-	-	-	3000	3000
Semi-rapid Gas Burner Ø7.5cm	W	1750	1750	-	-	-	-	1750	1750
Auxiliary Gas Burner Ø5.5cm	W	1000	1000	-	-	-	-	1000	1000
Wok (Triple Flame) Gas Burner Ø14cm	W	3800	-	-	-	-	-	3800	-
Ø 80 mm Hotplate	W	-	-	-	-	-	-	-	-
Ø 145 mm Hotplate	W	-	-	1000	1000	-	-	-	-
Ø 180 mm Hotplate	W	1500	1500	1500	1500	-	-	1500	1000
Ø 220 mm Hotplate	W	-	-	-	-	-	-	-	-
Ø 145 mm Rapid Hotplate	W	-	-	1500	1500	-	-	-	-
Ø 180 mm Rapid Hotplate	W	2000	2000	2000	2000	-	-	2000	2000
Ø 220 mm Rapid Hotplate	W	-	-	-	-	-	-	-	-
Ø145 mm Highlite Element	W	-	-	-	-	1200	1200	-	-
Ø180 mm Highlite Element	W	-	-	-	-	1800	1800	-	-
Ø210 mm Highlite Element	W	-	-	-	-	2300	-	-	-
Ø180 mm Dual Highlite Element	W	-	-	-	-	1700	1700	-	-
Oval Highlite Element	W	-	-	-	-	1800	1800	-	-
Ø210 mm Dual Highlite Element	W	-	-	-	-	2200	-	-	-
Hot Surface Indicator Light		-	-	-	-	Standard	Standard	-	-
Hotplate Operation Indicator Light		-	-	Standard	Standard	-	-	-	-
Thermostat Operation Indicator Light		-	-	Standard	Standard	Standard	Standard	Standard	Standard
Oven Operation Indicator Light		-	-	-	-	-	-	-	-
Stainless Steel Burner Pan (in case of gas on glass hob)		Optional	-	-	-	-	-	Optional	-
Metal Lid		Optional	Optional	Optional	Optional	-	-	Optional	Optional
Glass Lid		Optional	Optional	Optional	Optional	-	-	Optional	Optional
Glass Lid Shut-off Valve		Optional	Optional	-	-	-	-	-	-
Burner Safety Valves		Optional	Optional	-	-	-	-	Optional	Optional
Button Ignition		Optional	Optional	-	-	-	-	Optional	Optional
One-touch-Ignition through knobs		Optional	Optional	-	-	-	-	Optional	Optional
Ignition by DC battery		Optional	Optional	-	-	-	-	Optional	Optional
Enamel Pan Supports		Standard	Standard	-	-	-	-	Standard	Standard
Cast Iron Pan Supports		Optional	Optional	-	-	-	-	Optional	-
Cast Iron Burner Caps		Optional	Optional	-	-	-	-	Optional	Optional
Coffee Adaptor		Optional	Optional	-	-	-	-	Optional	Optional
Wok Adaptor		Optional	-	-	-	-	-	Optional	-
Vitroc ceramic Glass Cleaning Spatula		-	-	-	-	Optional	Optional	-	-
Oven Features									
Main Oven									
Oven Type		Gas	Gas	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume, Depends On Model (min/max)	lt	54/66	49/52	56/67	48/58	56/67	48/58	56/67	48/58
Cavity Dimensions, Depends On Model (min/max) (WxDxH)	mm	410x316x292 430x337x292	350x316x292 370x337x292	430x335x391 455x366x403	370x335x391 395x366x403	430x335x391 455x366x403	370x335x391 395x366x403	430x335x391 455x366x403	370x335x391 395x366x403
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Catalytic Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Side Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Telescopic Rails (1 or 2 racks)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Electric Oven Functions		-	-	Up to 6	Up to 6	Up to 6	Up to 6	Up to 6	Up to 6
Top Heating Element	W	-	-	1200	1000	1200	1000	1200	1000
Bottom Heating Element	W	-	-	1100	1000	1100	1000	1100	1000
Thermostat		Optional	Optional	Standard	Standard	Standard	Standard	Standard	Standard
Oven Safety		Standard	Standard	-	-	-	-	-	-
Open Flame Burner		Standard	Standard	-	-	-	-	-	-
Oven Burner (Thermostat Controlled)	W	2.400	2.400	-	-	-	-	-	-
Electric Single Grill	W	-	-	1400	1600	1400	1600	1400	1600

Double Oven Specification Sheet		Gas DO		Electric DO with Solid Hotplates		ElectricDO with Ceramic Glass		Mixed (Dual Fuel) DO	
		60x60	50x60	60x60	50x60	60x60	50x60	60x60	50x60
Main Oven									
Electric Double Grill	W	-	-	-	-	-	-	-	-
Fan	W	-	-	23 -35	23 -35	23 -35	23 -35	23 -35	23 -35
Fan with Ring Heating Element	W	-	-	2000	2000	2000	2000	2000	2000
Electric Cooker Energy Rating		-	-	A / B	A / B	A / B	A / B	A / B	A / B
Top Oven									
Oven Type		Gas	Gas	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume, Depends On Model (min/max)	lt	16/22	14/19	35 / 38	30 / 33	35 / 35	30 / 30	35 / 35	30 / 30
*Cavity Dimensions, Depends On Model (min/max) (WxDxH)	mm	410x316x292 430x337x292	350x316x292 370x337x292	430x335x391 455x366x403	370x335x391 395x366x403	430x335x391 455x366x403	370x335x391 395x366x403	430x335x391 455x366x403	370x335x391 395x366x403
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Catalytic Enamel Panels (Left and right)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Side Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Telescopic Rails (1 rack)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Electric Oven Functions		-	-	Up to 4	Up to 4	Up to 4	Up to 4	Up to 4	Up to 4
Top Heating Element	W	-	-	700	500	700	500	700	500
Bottom Heating Element	W	-	-	700	600	700	600	700	600
Thermostat		Optional	Optional	Standard	Standard	Standard	Standard	Standard	Standard
Oven Safety		Standard	Standard	-	-	-	-	-	-
Oven Burner (Thermostat Controlled)	W	2.400	2.400	-	-	-	-	-	-
Electric Single Grill	W	-	-	1600	1400	1600	1400	1600	1400
Electric Double Grill	W	-	-	2300	1900	2300	1900	2300	1900
Gas Grill with European type burner	W	2200	2200	-	-	-	-	-	-
Gas Oven with open flame burner		Optional	Optional	-	-	-	-	-	-
Electric Cooker Energy Rating		-	-	A / B	B	A / B	B	A / B	B
Common Features									
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer for MO		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Analog Timer for MO		-	-	-	-	-	-	-	-
Digital Clock		Optional	-	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer for MO		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Baking Tray (Shallow Tray)		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Glass Tray		-	-	Optional	-	Optional	-	Optional	-
Roasting Tray (Deep Tray)		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Chromed Grid with Stopper		1	1	1	1	1	1	1	1
Inner grid for deep tray		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Broil Pan with Handle Set		1	1	1	1	1	1	1	1
Flat Metal Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3D Metal Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3D Glass Oven Door		Optional	-	Optional	-	Optional	-	Optional	-
Flat glass door with full inner glass		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable inner glass (only for flat glass door)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mirrored Oven Door Glass		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable Oven Door		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Left Side Opening Oven Door **		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Drop Down Opening Oven Door		Optional	Optional**	Optional	Optional**	Optional	Optional**	Optional	Optional**
Gas Conversion Kit		Standard	Standard	-	-	-	-	Standard	Standard
Tip over Bracket		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Others									
Total Power (Depends on Model) Maximum	kW	12,3	12,3	11,6	10,9	11,6	9,9	6,1	5,4
Voltage	V	230	230	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230	230
Energy consumption according to the EN50304 Standards (Depends on Model)	kWh	-	-	0.79 - 0.88	0.79 - 0.89	0.79 - 0.88	0.79 - 0.89	0.79 - 0.88	0.79 - 0.89
Cavity Insulation		White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow	White / Yellow
RoHS Compliance		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
CE Compliance		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Height with Lid Open (85 cm / 90 cm)	cm	145 / 150	150	145 / 150	150	145 / 150	150	145 / 150	150
Depth with Door Open	cm	105	105	105	105	105	105	105	105
Carton Box Packaging		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm	645x684x922 645x684x977	545x684x919 545x684x974	645x684x922 645x684x977	545x684x919 545x684x974	645x684x922 645x684x977	545x684x919 545x684x974	645x684x922 645x684x977	545x684x919 545x684x974
Net Weight (Depends on Model) Maximum	kg	47,5	44,3	46,5	42,9	47,5	44,1	45	42
Gross Weight (Depends on Model) Maximum	kg	50,5	47,3	49,5	45,9	50,5	47,1	48,5	45,2

* Only drop down opening oven door
 ** Only for cookers with 90 cm height
 *** Only on painted parts




FREE-STANDING COOKERS SPECIFICATION SHEET		Electric Cooker with Induction Hob
		60x60
Available Colours		
White		Standard
Brown		Optional
Terre de France		Optional
Black		Optional
Dark Green		Optional
Silver		Optional
Inox painted		Optional
Stainless Steel		Optional
Red		Optional
Anthracite**		Optional
Nominal Dimensions		
Height (Adjustable Feet max. +3.0cm)	cm	85 / 90
Width	cm	60
Depth	cm	60
Hob Features		
Hob		Induction
Ø160 mm Induction Hob (Boost)	W	1400 - 1800W
Ø200 mm Induction Hob (Boost)	W	2100 - 2500W
Ø250 mm Induction Hob (Boost)	W	2800 - 3500W
Touch Control		Standard
Knob Control		Optional
Slider Control		Optional
Hob Timer (Touch Control/Knob Control)		Optional/Standard
Hot Surface Indicator Light		Standard
Thermostat Operation Indicator Light		Standard
Vitroceramic Glass Cleaning Spatula		Optional
Oven Features		
Oven Type		Electric
Oven Volume, Depends On Model (min/max)	lt	56/67 (60 lt) 64/76 (65 lt)
Cavity Dimensions, Depends On Model (min/max) (WxDxH)	mm	430x391x335 455x441x335
Oven Light (25W)		Optional
Easy to Clean Enamel		Standard
Catalytic Enamel Panels (Left, right and rear)		Optional
Wire Side Racks		Optional
Telescopic Rails (1 or 2 racks)		Optional
Electric Oven Functions		Up to 9
Top Heating Element	W	1200
Bottom Heating Element	W	1100
Thermostat		Standard
Electric Single Grill	W	1400
Electric Double Grill	W	2800
Fan	W	23 - 35
Fan with Ring Heating Element	W	2000
Automatic Boost Function		-
Turnspit		Optional
Mechanical Minute Minder		Optional
Mechanical Timer		Optional
Digital Clock		Optional
Digital Programmer		Optional








FREE-STANDING COOKERS SPECIFICATION SHEET		Electric Cooker with Induction Hob
		60x60
Oven Features		
Baking Tray (Shallow Tray)		Optional
Glass Tray		Optional
Roasting Tray (Deep Tray)		1
Chromed Grid with Stoper		1
Wire grid for deep tray		Optional
Broil Pan with Handle Set		Optional
Flap Drawer at the bottom		Optional
4WG Farmer Drawer at the bottom		Optional
Full outer glass and Inner metal door (small glass) Oven Door		Standard
Inclined Solid Oven Door		Optional
Full outer glass and full inner glass Oven Door		Optional
Removable inner glass (with full glass outer and full glass inner door)		Optional
Cool Touch Oven Door		Optional
Flotal Oven Door Glass		Optional
Removable Oven Door		Standard
Add-on Stripes on Oven Door		Optional
Glass Application on Control Panel		Optional
Glass Application on Drawer Cover		Optional
Child Lock on Oven Door		Optional
Tip over Bracket (Wall Type / Ground Type)		Standard
Shabat Function		Optional
Others		
Total Power (Depends on Model) Maximum	kW	10
Voltage	V	230 ~ / 400V 3N~
Energy consumption according to the EN50304 Standards (Depends on Model)	kWh	0.79 - 0.85
Electric Cooker Energy Rating		A / B
Cavity Insulation		White / Yellow
Pop-in / Pop-out Knob		Optional
Serigraphy on Knob		Optional
RoHS Compliance		Standard
CE Compliance		Standard
Height with Lid Open (85 cm / 90 cm)	cm	145 / 150
Depth with Door Open	cm	106
Carton Box Packaging		Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm	645x684x922 645x684x977
Net Weight (Depends on Model) Maximum	kg	54,8
Gross Weight (Depends on Model) Maximum	kg	58,1
Container Loading Quantity* (20 ft Container)	pcs	48
Container Loading Quantity* (40 ft Container)	pcs	108
Container Loading Quantity* (40 ft HC Container)	pcs	108








Gas Hob Configuration For 60X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 180 Hotplate	
33	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Hotplate	
34	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Rapid Hotplate	
35	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Rapid Hotplate	
36	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	
41	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid, 1 x Triple Flame Burner	

Gas Hob Configuration For 50X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
30	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid	
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 180 Hotplate	
33	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Hotplate	
34	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Rapid Hotplate	
35	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Rapid Hotplate	
36	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	

Specifications



Gas Hob Configuration For 50X50 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
30	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid	
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 145 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	

Gas Hob Configuration For 90X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
50	1 x Auxiliary, 2 x Semi Rapid, 2 x Rapid	
51	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x Triple Flame Burner	
52	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x Fish Burner	
53	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 2 x Hotplate	
54	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 2 x Induction	
55	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x 180 Rapid Hotplate, 1 x 145 Hotplate	
56	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x 180 Hotplate	









Vitreoceramic Hob Configurations for 60x60 Free-Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
10	2 x 145, 2 x 180 highlight element	
11	2 x 145, 1 x 180, 1 x 180 dual highlight element	
12	2 x 145, 1 x 180 dual, 1 x oval highlight element	
13	2 x 145, 1 x 180, 1 x 210 highlight element	
14	2 x 145, 1 x 210, 1 x 180 dual highlight element	
20	2 x 145, 1 x 180, 1 x oval highlight element	
21	2 x 145, 1 x 210 dual, 1 x oval highlight element	






Vitreoceramic Hob Configurations for 50x60 Free-Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
10	2 x 145, 2 x 180 highlight element	
11	2 x 145, 1 x 180, 1 x 180 dual highlight element	
12	2 x 145, 1 x 180 dual, 1 x oval highlight element	
20	2 x 145, 1 x 180, 1 x oval highlight element	






Specifications




Vitreoceramic Hob Configurations for 50x50 Free-Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
30	4x145 highlight element	
31	2 x 145, 1 x 180 highlight element	

Vitreoceramic Hob Configurations for 90x60 Free-Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
33	2 x 145, 3 x 180 highlight element	
34	2 x 145, 2 x 180, 1 x 210 highlight element	
35	2 x 145, 1 x 180, 1x180 dual, 1 x oval highlight element	
36	2 x 145, 1 x 180, 1x210 dual, 1 x oval highlight element	


































Solid Hotplate Hob Configurations for 60x60 Free Standing Cookers		
Hob ID	Hotplate configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
06	2 x 145, 1 x 180, 1 x 220 hotplate	
08	1 x 80, 2 x 180, 1 x 145 hotplate	
09	1 x 80, 1 x 180, 1 x 180 rapid, 1 x 145 hotplate	
17	1 x 80, 1 x 180, 1 x 145, 1 x 220 hotplate	
18	1 x 80, 1 x 180 rapid, 1 x 145, 1 x 220 hotplate	

Solid Hotplate Hob Configurations for 50x60 Free Standing Cookers		
Hob ID	Hotplate configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
08	1 x 80, 2 x 180, 1 x 145 hotplate	
09	1 x 80, 1 x 180, 1 x 180 rapid, 1 x 145 hotplate	

Solid Hotplate Hob Configurations for 50x50 Free Standing Cookers		
Hob ID	Hotplate configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
27	4 x 145 hotplate	
29	2 x 145 hotplate, 2 x 145 rapid hotplate	

Induction Hob Configurations for 60x60 Free Standing Cookers			
Hob ID	Hob configuration	Control System	Element placement
56	2x160B, 2x200B induction element 2x(1400 / B1800 W), 2x (2100 / B2500 W)	Standard Touch Standard Touch With Timer Slider Touch With Timer Knob Kontrol	
57	1x160B, 2x200B induction element 1x(1400 / B1800 W), 2x (2100 / B2500 W)	Standard Touch Standard Touch With Timer Slider Touch With Timer	
58	1x160B, 1x200B, 1x250B induction element 1x(1400 / B1800 W), 1x (2100 / B2500 W), 1x(2800 / B 3500 W)	Standard Touch Standard Touch With Timer Slider Touch With Timer	

Induction Hob Configurations for 90x60 Free Standing Cookers			
Hob ID	Hob configuration	Control System	Element placement
59	2x160B, 3x200B induction element 2x(1400 / B1800 W), 3x (2100 / B2500 W)	STANDARD TOUCH WITH TIMER	
60	2x160B, 2x200B, 1x250B induction element 2x(1400 / B1800 W), 2x (2100 / B2500 W), 1x(2800 / B 3500 W)	STANDARD TOUCH WITH TIMER	

Electric Oven Function for Freestanding Ovens							Electrical Power at 230V (W)		
Function ID	Identity in the Market		Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	50x50 & 50x60	60x60	90x60
01	Static oven		(Top + Bottom)	0 / TOP + BOTTOM / BOTTOM / TOP	3	-	2000	2300	2400
02	Static oven		(Top + Bottom) + Grill + Turnspit	0 / TOP + BOTTOM / BOTTOM / TOP / GRILL + TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2300	2400
03	Static oven		(Top + Bottom) + Grill + Turnspit	0 / TOP+BOTTOM / BOTTOM / GRILL + TURNSPIT / DOUBLE GRILL + TURNSPIT	4	Not available for 50x50 freestanding oven	2600	2600	3000
04	Static oven		(Top + Bottom) + Grill + Turnspit	0 / OVENLIGHT / TOP + BOTTOM / BOTTOM / TOP / GRILL + TURNSPIT / DOUBLE GRILL + TURNSPIT	6	Not available for 50x50 freestanding oven	2600	2600	3000
05	Turbo oven		(Fan + Ring)	0 / DEFROST / FAN + RING	2	Not available for 50x50 freestanding oven	2000	2000	1600
06	Turbo oven		(Fan + Ring) + Grill + Turnspit	0 / DEFROST / FAN + RING / GRILL + TURNSPIT / GRILL + FAN + TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2000	1800
07	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / DEFROST / FAN + RING / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL + TURNSPIT / GRILL + FAN + TURNSPIT	6	Not available for 50x50 freestanding oven	2000	2300	2400
08	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / DEFROST / FAN + RING / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL + TURNSPIT / DOUBLE GRILL + TURNSPIT	6	Not available for 50x50 freestanding oven	2600	2600	3000
09	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / OVENLIGHT / DEFROST / FAN + RING / TOP + BOTTOM / TOP + BOTTOM + FAN / PIZZA / GRILL + TURNSPIT / DOUBLE GRILL + TURNSPIT / DOUBLE GRILL + FAN + TURNSPIT	9	Not available for 50x50 freestanding oven	3000	3100	3000
10	Fan assisted oven		(Top + Bottom + Fan) + Grill + Turnspit	0 / DEFROST / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL + TURNSPIT / GRILL + FAN + TURNSPIT	5	Not available for 50x50 freestanding oven	2000	2300	2400
11	Fan assisted oven		(Top + Bottom + Fan) + Grill + Turnspit	0 / DEFROST / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL + TURNSPIT / DOUBLE GRILL + TURNSPIT	5	Not available for 50x50 freestanding oven	2600	2600	3000
12	Fan assisted oven		(Top + Bottom + Fan) + Grill + Turnspit	0 / OVENLIGHT / DEFROST / TOP + BOTTOM / TOP + BOTTOM + FAN / BOTTOM + FAN / PIZZA / GRILL + TURNSPIT / DOUBLE GRILL + TURNSPIT / DOUBLE GRILL + FAN + TURNSPIT	8	Not available for 50x50 freestanding oven	2600	2600	3000
13	Static oven		(Top + Bottom) + Grill	0 / TOP + BOTTOM / BOTTOM / TOP / GRILL	4	-	2000	2300	2400
14	Static oven		(Top + Bottom) + Grill	0 / TOP + BOTTOM / BOTTOM / GRILL / DOUBLE GRILL	4	-	2600	2600	3000
15	Static oven		(Top + Bottom) + Grill	0 / OVENLIGHT / TOP + BOTTOM / BOTTOM / TOP / GRILL / DOUBLE GRILL	6	-	2600	2600	3000
16	Turbo oven		(Fan + Ring) + Grill	0 / DEFROST / FAN + RING / GRILL / GRILL + FAN	4	Not available for 50x50 freestanding oven	2000	2000	1800
17	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP + BOTTOM + FAN / GRILL / GRILL+FAN	6	Not available for 50x50 freestanding oven	2000	2300	2400
18	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP + BOTTOM + FAN / GRILL / DOUBLE GRILL	6	Not available for 50x50 freestanding oven	2600	2600	3000
19	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / OVENLIGHT / DEFROST / FAN+RING / TOP + BOTTOM / TOP + BOTTOM + FAN / PIZZA / GRILL / DOUBLE GRILL / DOUBLE GRILL + FAN	9	Not available for 50x50 freestanding oven	3000	3100	3000
20	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL / GRILL + FAN	5	Not available for 50x50 freestanding oven	2000	2300	2400
21	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL / DOUBLE GRILL	5	Not available for 50x50 freestanding oven	2600	2600	3000
22	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / OVENLIGHT / DEFROST / TOP+BOTTOM / TOP + BOTTOM + FAN / BOTTOM+FAN / GRILL / DOUBLE GRILL / DOUBLE GRILL + FAN	8	Not available for 50x50 freestanding oven	2600	2600	3000
23	Multifunction oven		(Top + Bottom + Fan + Ring)	0 / DEFROST / FAN + RING / TOP + BOTTOM / TOP + BOTTOM + FAN	4	Not available for 50x50 freestanding oven	2000	2300	2400
24	Multifunction oven		(Top + Bottom + Fan + Ring) + Turnspit	0 / DEFROST / FAN + RING + TURNSPIT / TOP+BOTTOM + TURNSPIT / TOP + BOTTOM + FAN + TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2300	2400
25	Fan assisted oven		(Top + Bottom + Fan)	0 / DEFROST / TOP+BOTTOM / TOP + BOTTOM + FAN	3	Not available for 50x50 freestanding oven	2000	2300	2400
26	Fan assisted oven		(Top + Bottom + Fan) + Turnspit	0 / DEFROST / TOP + BOTTOM + TURNSPIT / TOP + BOTTOM + FAN + TURNSPIT	3	Not available for 50x50 freestanding oven	2000	2300	2400
27	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL / DOUBLE GRILL / PYROLYSIS	6	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
28	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / TURBO / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL / DOUBLE GRILL / PYROLYSIS	7	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
29	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / DEFROST / TURBO / TOP + BOTTOM / TOP+BOTTOM + FAN / GRILL + TURNSPIT / DOUBLE GRILL + TURNSPIT / PYROLYSIS	7	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
50	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / OVENLIGHT / DEFROST / TURBO / TOP + BOTTOM / TOP + BOTTOM + FAN / PIZZA / GRILL + TURNSPIT / DOUBLE GRILL + TURNSPIT / DOUBLE GRILL + FAN + TURNSPIT / VAP CLEAN	10	Not available for 50x50 freestanding oven	2600	3100	3000
51	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / OVENLIGHT / DEFROST / TURBO / TOP + BOTTOM / TOP + BOTTOM + FAN / PIZZA / GRILL / DOUBLE GRILL / DOUBLE GRILL + FAN / VAP CLEAN	10	Not available for 50x50 freestanding oven	2600	3100	3000
52	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / BOTTOM / TOP + BOTTOM / TOP + BOTTOM + FAN / GRILL / GRILL + FAN	6	Not available for 50x50 freestanding oven	2000	2300	2400
53	Fan assisted oven		(Top + Bottom + Fan)	0 / BOTTOM / TOP / TOP + BOTTOM / TOP + BOTTOM + FAN	4	Not available for 50x50 freestanding oven	2000	2300	2400

Electric Oven Function for Double Ovens								
TOP OVEN Electrical Power at 230V (W)								
Function ID	Identity in the Market		Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	50x60	60x60
1	Grill		Grill	0 / GRILL	1	-	1400	1600
2	Grill		Grill	0 / GRILL / DOUBLE GRILL	2	-	1900	2300
3	Static oven		(Top + Bottom) + Grill	0 / TOP+BOTTOM / BOTTOM / TOP / GRILL	4	-	1400	1600
4	Static oven		(Top + Bottom) + Grill	0 / TOP+BOTTOM / TOP / GRILL / DOUBLE GRILL	4	-	1900	2300
MAIN OVEN								
Function ID	Identity in the Market		Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	50x60	60x60
1	Static oven		(Top + Bottom)	0 / TOP+BOTTOM	1	-	2000	2300
2	Static oven		(Top + Bottom)	0 / TOP+BOTTOM / BOTTOM / TOP	3	-	2000	2300
3	Turbo oven		(Fan + Ring)	0 / DEFROST / FAN+RING	2	-	2000	2000
4	Multifunction oven		(Top + Bottom + Fan + Ring)	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN	4	-	2000	2300
5	Fan assisted oven		(Top + Bottom + Fan)	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN	3	-	2000	2300
6	Fan assisted oven		(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	5	-	2000	2300
7	Multifunction oven		(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	6	-	2000	2300

	ENAMELLED PAN SUPPORTS						CAST IRON PAN SUPPORTS		
	S-type Enamelled	V-type Enamelled	O-type Enamelled	K-type Enamelled	E-type Enamelled	D-type Enamelled	S-type Cast Iron	W-type Cast Iron	T-type Cast Iron
Freestanding Double Oven 50x60			NA		NA		NA	NA	NA
Freestanding Double Oven 60x60					NA				NA
New Generation Freestanding 50x50			NA	NA	NA		NA	NA	NA
New Generation Freestanding 50x60			NA	NA	NA			NA	NA
New Generation Freestanding 60x60			NA	NA	NA			NA	NA
New Generation Freestanding 90x60		NA	NA	NA		NA		NA	

Vestel Trade Co.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestel.com.tr

Vestel France S.A.

17 Rue de la Couture-Silic BP 10190-94563 RUNGIS Cedex/
France

Phone: 33 - 1 46 75 00 29

Fax: 33 - 1 41 80 99 31

p.benhamou@vestel-france.fr

Vestel Germany GmbH

Parkring 6 85748 Garching b. München/Germany

Phone: 49 - 89 55295 - 0

Fax: 49 - 89 55295 - 2000

info@vestel-germany.de

www.vestel-germany.de

Vestel Iberia

Avda, Partenon, 16-18 Planta 1 Oficina 6, 28042 Madrid/Spain

Phone: 34 -91 320 63 98

Fax: 34 -91 320 52 58

vestel@vestel.es www.vestel.es

Gruppo Industriale Vesit SPA

Via polidoro da Caravaggio, 6, 20156 - Milano/Italy

Phone: 39 - 02 842 48577

Fax: 39 - 02 842 48617

info@givesit.it www.givesit.it

Vestel UK Ltd

Vestel House, Waterside Drive
Langley, Berkshire SL3 6EZ

Phone: 44 - 3330 146 400

info@vestel-uk.com

www.vestel.co.uk

Vestel Benelux B.V.

P.O. Box 29179 3001 GD - Rotterdam / Netherlands

Phone: 31 - 10 235 1000

Fax: 31 - 10 235 1003

info@vestelbenelux.nl • www.vestelbenelux.nl

Vestel Scandinavia

Postikatu 4, FI-04400 Järvenpää / Finland

Phone: 358 - 46 712 2262

Fax: 358 - (0) 9 251 7 8222

Vestel CIS Ltd.

1-st Graivoronovskiy Proezd, No.20 Building 16, 109518,
Moscow /Russia

Phone: 7 - 095 956 8230

Fax: 7 - 095 956 8233

info@vestel.ru • www.vestel.ru

Vestel Electronica

Str Zidarului nr 9-11, Sector 5 Bucuresti, ZIP 051765
Bucharest/Romania

Phone: 40 - 31 425 42 93

Fax: 40 -31 425 42 95

office@vestel.ro • www.vestel.ro

Vestfrost Household

Spangsbjerg Mollevej 100, DK-6705 Esbjerg 0, Denmark

Phone: 45 - 7610 4045

Fax: 45 - 7610 4046

United Technical Services

S.R.O. ul. Senecká 16, 91101 Samorin, Slovakia

Phone: 421- 31 590 27 31

Fax:421- 31 590 27 38

info@uts.sk • www.uts.sk

TOO Vestel Central Asia

Dostyk Avenue, 132 , Office 6, Almaty/Kazakhstan

Phone: 7 - 727 262 83 01

Vestel Poland

Poleczki 33, 02-822 Warszawa, Mazowieckie

Phone: 48 22 2555700

info@vestel-poland.com

