

# VESTEL



## Deluxe Hotel TV

# Deluxe Hotel TV

## Impeccable Design Complemented with Superior Technology

VESTEL Deluxe Hotel TV comes with a range of value-added functions allowing hoteliers to customise their service according your business needs.

Hoteliers will enjoy efficient installation via USB cloning and dedicated hospitality features including smart channel listing, welcome screen and many more.

Designed for low power consumption, VESTEL Deluxe Hotel TV delivers big and bright images at low installation cost.

---

### Save on Labor from Day One

Do you think some services and chores can be replaced by advanced technology? We do indeed. Thanks to USB Cloning, OSD Disable and Wake-up Alarm features, your staff will save time and effort.



---

### Customisation at the higher levels

Be special and unique. Sometimes little things make a big difference. Designed to provide customizable technology, Deluxe Hotel TV allows hoteliers to create their own welcome message and smart channel listings.







## Impeccable Design

Vestel Deluxe Hotel TV is not just a TV, it is a decorative piece of art. Designed by Vestel's award winning designers, Deluxe Hotel TV offers various options and models to fulfill your expectations.



## Smart Features

TV's optional smart features allow hotel guests to access various internet content from TV. With the help of smart apps, guests can play video/audio content, check news, play games, browse the internet or make calls via Skype.



Video



Social  
Networking



Music



Games



Information  
Services



Other  
Services



Skype



# Deluxe + Hotel TV

## For hoteliers who want the highest customization

Deluxe + Hotel TV is an optional addition to the Deluxe Hotel TV allowing the hoteliers to display additional business related information or advertisements.

Deluxe + Hotel TV is an affordable solution for displaying hotel information. Once the desired information is created, it can be streamed to all TVs by a simple USB stick.

### About the Hotel

Introduce your hotel in detail for the newcomers and the inform the regulars about the new additions. Add tabs to the interface to advertise the features of the hotel, like spa centers, restaurants, cafes and pools.



### Nearby Attractions

Giving directions to the guests is a good PR activity but with every new guest it will be more exhausting for your Front Office. Display the local attractions through this interface and save on labor without compromising the customer satisfaction.








## Room Service & Phone Contacts

As a Hotelier you already know that room service menus and phone books usually get worn out, get outdated or get completely lost altogether; most importantly, costly. With these interfaces, present your guest the best dishes your restaurant(s) offers and display the hotel's phone numbers while saving on costly prints.



### Smart Channels Listing

Save your guests the trouble of searching for their local channels. When this feature is activated, the TV displays a selection of country flags and genres. The country or the genre selected will be displayed on top of the channel listing so the guests can easily locate the channels.




### Welcome Screen

Greet your guests with a warm customized welcome. You can display commercial logos, messages, or default pictures at the start-up of your Deluxe Hotel TV. This feature allows you to benefit from customization at the higher levels.




### Anti-theft battery cover

The anti-theft battery cover is a simple screw lock providing a foolproof security to prevent the remote control battery from being stolen. It just makes your life easier.




### USB Cloning

USB cloning offers you the fastest and easiest offline way to adjust TV settings. When the desired installation is made, you can simply copy the TV setting to all TVs with an ordinary USB. This feature helps you to make hassle free installation.



### Multi IR

In areas where there are multiple TVs installed, thanks to the Multi IR remote control unit, each remote can be assigned to a different TV with no signal interference from other remote controls. Up to four TVs can use this function simultaneously.



### Wake-up Alarm

Wake-up call from the front office is a costly habit of the past. Deluxe hotel TV allows guests to set a wake-up time on the TV. The alarm goes off at the specified time and welcome screen is displayed on the TV.





## OSD Disable

OSD disable allows you to prevent guests from changing the installation settings. Users can not reach the channel table or installation menu. It relieves you from readjusting the TV settings for each guest.



## Auto Volume Level

Prevent your guests from complaining about the TV noise in the next room. With this feature, you can set the maximum and minimum volume levels, so every guest can enjoy watching TV without disturbing the other rooms.



## Startup Position

This feature allows you to specify the starting channel when TV is switched on.

## Last Status

When "last status" feature is set to on, The TV turns-on with the closing status. Otherwise, TV turns-on with standby status.

## Vestel Smart Center

Vestel Smart Center provides seamless mobile tablet application on iOS and Android devices. The Smart Remote App allows you to use your Smartphone / Tablet PC as a remote controller, keyboard and mouse.



### Media Share

Send music, photos and videos from tablet to TV by swiping over DLNA protocol.

### Remote Control

Use your Tablet PC and smartphone as a remote controller.

### Keyboard


Use the keyboard on your Tablet PC or smartphone to give text comments on internet browser.

### Mouse

Use your Tablet PC and smartphone as a touchpad mouse to control the mouse pointer on Smart TV.

### Built-In Internal WiFi

Connect the internet without using any external connector. Ethernet slot is also available.



### E-LED (Edge LED)

In E-LED systems, LED lights are placed along the sides of the screen and entire display is lighted from the edges. This allows E-LED TV to have thinner back depth. This technology helps you to use larger TVs in relatively small hotel rooms without compromising on space.




### D-LED (Direct LED)

In D-LED systems, LED lights are placed at the back of the TV screen. Thus, light from the source is coming to the screen directly with the right angle. Since D-LED TV has LEDs located at the back of the panel, the TV has a thicker depth.




### NNB (Normal Narrow Bezel)

NNB TV has a plastic front with an average bezel thickness of 17 mm, reflecting the product's stylish image




### VNB (Very Narrow Bezel)

VNB TV has a plastic front having an average bezel thickness of 13.5 mm. This provides a wide viewing and an amazing watching experience.



### SNB (Super Narrow Bezel)

SNB TV comes with a metal bezel having a thickness of 9,5 mm from three-sides. It provides extraordinary aesthetic appearance thanks to its superior mechanical and industrial design.







Model  
Type  
Features

xx249  
E-Led,  
Super Narrow Bezel  
Display framed with black cover  
Painted or hot-stamped side surfaces  
PC lens version unit holding IR lens and standby LED  
Silk printed logo on display's metal frame

Available Sizes

E-Led: 32", 39", 40", 42", 50"



Model  
Type  
Features

xx265  
E- Led,D-Led  
Very Narrow Bezel  
Plastic front cabinet with a bezel slimmer than 12 mm  
Black high-gloss slim design  
In-mold texture on linear area below display

Available Sizes

E-Led: 22", 24", 28", 32", 39", 40", 42"  
D-Led: 32", 39", 40", 50"





Model  
Type  
Features

xx185  
E-Led, D-Led  
Normal Narrow Bezel  
Matte and glossy surface combination

Available Sizes

E-Led: 22", 24", 28", 32"  
D-LED: 32", 39", 40", 50"

## Specifications

	Size	22"	24"	28"	32"	32"	39"
VIDEO	Resolution	1920x1080	1366x768	1366x768	1920x1080	1920x1080	1920x1080
	Type	LED	LED	LED	LED	D-LED	LED
	Dynamic Contrast Ratio	100,000:1	100,000:1	100,000:1	100,000:1	100,000:1	100,000:1
	Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9
	Digital Noise Reduction	●	●	●	●	●	●
	Brightness (cd/m2)	250	300	300	300	300	300
	Picture Enhancement	Clear Motion Engine	Clear Motion Engine	Clear Motion Engine	Clear Motion Engine	Clear Motion Engine	Clear Motion Engine
	Viewing Angle	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)
AUDIO	Progressive Scan	●	●	●	●	●	●
	Invisible Speaker	●	●	●	●	●	●
	Audio Output	6W + 6W	6W + 6W	6W + 6W	6W + 6W	6W + 6W	8W + 8W
	Equalizer (5 Band)	●	●	●	●	●	●
	Carrier Mute	●	●	●	●	●	●
	Dolby Digital	●	●	●	●	●	●
FEATURES	Auto Volume Lever (AVL)	●	●	●	●	●	●
	Hybrid Stream (Tuner+IP)	-	-	-	-	-	-
	Supported Tuner Modes	DVB-T/C/S2	DVB-T/C/S2	DVB-T/C/S2	DVB-T/C/S2	DVB-T/C/S2	DVB-T/C/S2
	Video On Demand	-	-	-	-	-	-
	Property Management System (PMS)	-	-	-	-	-	-
	Front LED Clock	-	-	-	-	-	-
	Smart Channel Listing	●	●	●	●	●	●
	Auto Program Sorting	●	●	●	●	●	●
	Welcome Message (Splash image)	●	●	●	●	●	●
	USB Cloning	●	●	●	●	●	●
	Enable/Disable Installation Menus	●	●	●	●	●	●
	Multi IR Code	●	●	●	●	●	●
	Auto TV Off / Auto Sleep	●	●	●	●	●	●
	Anti Theft Battery System	●	●	●	●	●	●
	Wake-up Alarm / Sleep Timer	●	●	●	●	●	●
	USB Media Player		●	●	●	●	●
	Smart TV apps	optional	optional	optional	optional	optional	optional
	Skype	optional	optional	optional	optional	optional	optional
	Open Browser	optional	optional	optional	optional	optional	optional
	Power Save mode (Energy Saving)	●	●	●	●	●	●
	Picture Modes	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema
	Teletext	●	●	●	●	●	●
	Electronic Program Guide	Now + Next EPG	Now + Next EPG	Now + Next EPG	Now + Next EPG	Now + Next EPG	Now + Next EPG
	Energy Saving	●	●	●	●	●	●
	RoHS	●	●	●	●	●	●
	VESA Compatible	●	●	●	●	●	●
	Swivel Stand	optional	optional	optional	optional	optional	optional
	Firmware Upgrade	via USB	via USB	via USB	via USB	via USB	via USB
INTERFACES	RF IN	●	●	●	●	●	●
	SCART	●	●	●	●	●	●
	Component In	●	●	●	●	●	●
	RGB In	●	●	●	●	●	●
	PC In	●	●	●	●	●	●
	HDMI	3	3	3	3	3	3
	Digital Audio Out	Coaxial	Coaxial	Coaxial	Coaxial	Coaxial	Coaxial
	USB	2	2	2	2	2	2
	CI Slot	●	●	●	●	●	●
	LAN - Ethernet	●	●	●	●	●	●
POWER	Voltage, Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
	Consumption (Typical)	30W	30W	35W	50W	50W	75W
	Consumption (Max)	50W	50W	50W	65W	65W	100W
	Stand-by	0.5W<	0.5W<	0.5W<	0.5W<	0.5W<	0.5W<
DIMENSIONS	NB (Narrow Bezel)						
	without Stand (mm) (HxDxW)	317x35x516	345x55x563	397x40x648	451x40x743	451x88x743	529x41x892
	with Stand (mm)	353x134x516	380x135x563	433x185x648	492x185x744	492x185x744	569x220x892
	Weight (Typical) (KG)	4,1	5	7,0	7,75	9	12
	VNB (Very Narrow Bezel)						
	without Stand (mm) (HxDxW)	317x38x516	338x38x557	387x38x640	440x38x734	440x75x734	516x38x880
	with Stand (mm)	353x134x516	374x135x557	427x185x640	481x185x735	481x185x735	556x220x880
	Weight (Typical) (KG)	4,1	5	7,0	7,75	9	12
	SNB (Super Narrow Bezel)						
	without Stand (mm) (HxDxW)	-	-	-	428x34x728	-	501x34x872
	with Stand (mm)	-	-	-	486x185x728	-	541x220x872
	Weight (Typical) (KG)	-	-	-	7	-	11

\* The specifications and features are subject to change without prior notice

	Size	39"	40"	40"	42"	50"	50"
VIDEO	Resolution	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080
	Type	D-LED	LED	D-LED	LED	LED	D-LED
	Dynamic Contrast Ratio	100,000:1	100,000:1	100,000:1	100,000:1	100,000:1	100,000:1
	Aspect Ratio	16:9	16:9	16:9	16:9	16:9	16:9
	Digital Noise Reduction	●	●	●	●	●	●
	Brightness (cd/m2)	300	320	320	350	300	300
	Picture Enhancement	Clear Motion Engine	Clear Motion Engine	Clear Motion Engine	Clear Motion Engine	Clear Motion Engine	Clear Motion Engine
	Viewing Angle	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)
AUDIO	Progressive Scan	●	●	●	●	●	●
	Invisible Speaker	●	●	●	●	●	●
	Audio Output	8W + 8W	8W + 8W	8W + 8W	8W + 8W	8W + 8W	8W + 8W
	Equalizer (5 Band)	●	●	●	●	●	●
	Carrier Mute	●	●	●	●	●	●
	Dolby Digital	●	●	●	●	●	●
	Auto Volume Lever (AVL)	●	●	●	●	●	●
FEATURES	Hybrid Stream (Tuner+IP)	-	-	-	-	-	-
	Supported Tuner Modes	DVB-T/C/S2	DVB-T/C/S2	DVB-T/C/S2	DVB-T/C/S2	DVB-T/C/S2	DVB-T/C/S2
	Video On Demand	-	-	-	-	-	-
	Property Management System (PMS)	-	-	-	-	-	-
	Front LED Clock	-	-	-	-	-	-
	Smart Channel Listing	●	●	●	●	●	●
	Auto Program Sorting	●	●	●	●	●	●
	Welcome Message (Splash image)	●	●	●	●	●	●
	USB Cloning	●	●	●	●	●	●
	Enable/Disable Installation Menus	●	●	●	●	●	●
	Multi IR Code	●	●	●	●	●	●
	Auto TV Off / Auto Sleep	●	●	●	●	●	●
	Anti Theft Battery System	●	●	●	●	●	●
	Wake-up Alarm / Sleep Timer	●	●	●	●	●	●
	USB Media Player	●	●	●	●	●	●
	Smart TV apps	optional	optional	optional	optional	optional	optional
	Skype	optional	optional	optional	optional	optional	optional
	Open Browser	optional	optional	optional	optional	optional	optional
	Power Save mode (Energy Saving)	●	●	●	●	●	●
	Picture Modes	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema	Auto/ 4:3 / 16:9 / Panaromic / Zoom / Subtitle / Cinema
	Teletext	●	●	●	●	●	●
	Electronic Program Guide	Now + Next EPG	Now + Next EPG	Now + Next EPG	Now + Next EPG	Now + Next EPG	Now + Next EPG
	Energy Saving	●	●	●	●	●	●
	RoHS	●	●	●	●	●	●
	VESA Compatible	●	●	●	●	●	●
	Swivel Stand	optional	optional	optional	optional	optional	optional
	Firmware Upgrade	via USB	via USB	via USB	via USB	via USB	via USB
INTERFACES	RF IN	●	●	●	●	●	●
	SCART	●	●	●	●	●	●
	Component In	●	●	●	●	●	●
	RGB In	●	●	●	●	●	●
	PC In	●	●	●	●	●	●
	HDMI	3	3	3	3	3	3
	Digital Audio Out	Coaxial	Coaxial	Coaxial	Coaxial	Coaxial	Coaxial
	USB	2	2	2	2	2	2
	CI Slot	●	●	●	●	●	●
POWER	LAN - Ethernet	●	●	●	●	●	●
	Voltage, Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
	Consumption (Typical)	75W	80W	80W	85W	105W	105W
	Consumption (Max)	100W	100W	100W	110W	135W	135W
	Stand-by	0.5W<	0.5W<	0.5W<	0.5W<	0.5W<	0.5W<
DIMENSIONS	NB (Narrow Bezel)						
	without Stand (mm) (HxDXW)	530x76x893	-	-	-	-	-
	with Stand (mm)	570x220x893	-	-	-	-	-
	Weight (Typical) (KG)	13	-	-	-	-	-
	VNB (Very Narrow Bezel)						
	without Stand (mm) (HxDXW)	516x75x880	540x38x920	545x75x920	582x38x960	-	659x38x1119
	with Stand (mm)	556x220x880	578x220x920	583x220x920	614x220x960	-	701x220x1119
	Weight (Typical) (KG)	13	12,5	13,5	14,5	-	19,5
	SNB (Super Narrow Bezel)						
	without Stand (mm) (HxDXW)	-	525x34x912	-	555x34x957	650x34x1125	-
	with Stand (mm)	-	563x220x912	-	627x220x957	718x220x1125	-
	Weight (Typical) (KG)	-	11,5	-	12,2	16	-

\* The specifications and features are subject to change without prior notice









Vestel Trade Co.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84 [vesteltrade@vestel.com.tr](mailto:vesteltrade@vestel.com.tr) • [www.vestel.com.tr](http://www.vestel.com.tr)

Vestel France S.A.

17 Rue de la Couture-Silic BP 10190-94563 RUNGIS Cedex/France

Phone: 33 - 1 46 75 00 29 Fax: 33 - 1 41 80 99 31 [p.benhamou@vestel-france.fr](mailto:p.benhamou@vestel-france.fr)

Vestel Germany GmbH

Parkring 6 85748 Garching b. München/Germany

Phone: 49 - 89 55295 - 0 Fax : 49 - 89 55295 - 2000 [info@vestel-germany.de](mailto:info@vestel-germany.de) • [www.vestel-germany.de](http://www.vestel-germany.de)

Vestel Iberia

Avda, Partenon, 16-18 Planta 1 Oficina 6, 28042 Madrid/Spain

Phone: 34-91 320 63 98 Fax: 34-91 320 52 58 [vestel@vestel.es](mailto:vestel@vestel.es) • [www.vestel.es](http://www.vestel.es)

Gruppo Industriale Vesit SPA

Via polidoro da Caravaggio, 6, 20156 - Milano/Italy

Phone: +39 02 842 48577 Fax: +39 02 842 48617 [info@givesit.it](mailto:info@givesit.it) [www.givesit.it](http://www.givesit.it)

Vestel UK

94 Dedworth Road, Windsor, Berks SL4 5AY/UK

Phone: 44 - 1753 834 501 Fax: 44 - 1753 834 509 [info@vestel-uk.com](mailto:info@vestel-uk.com)

Vestel Benelux B.V.

P.O. Box 29179 3001 GD - Rotterdam / Netherlands

Phone: 31 - 10 235 1000 Fax: 31 - 10 235 1003 [info@vestelbenelux.nl](mailto:info@vestelbenelux.nl) • [www.vestelbenelux.nl](http://www.vestelbenelux.nl)

Vestel Scandinavia

Postikatu 4, FI-04400 Järvenpää / Finland

Phone: +358 46 712 2262 Fax: +358 (0) 9 251 7 8222

Vestel CIS Ltd.

1-st Graivoronovsky Proezd, No.20 Building 16, 109518, Moscow /Russia

Phone: 7 - 095 956 8230 Fax: 7 - 095 956 8233 [info@vestel.ru](mailto:info@vestel.ru) • [www.vestel.ru](http://www.vestel.ru)

Vestel Electronica

Str Zidarului nr 9-11, Sector 5 Bucuresti, ZIP 051765 Bucharest/Romania

Phone: 40- 31 425 42 93 Fax: 40-31 425 42 95 [office@vestel.ro](mailto:office@vestel.ro) • [www.vestel.ro](http://www.vestel.ro)

# VESTEL